AQUA LUNG®

Military & Professional



2013 PUBLIC SAFETY BUYER'S GUIDE

PUBLIC SAFETY BUYER'S GUIDE 2013

TABLE OF CONTENTS

PUBLIC SAFETY PROGRAM 3

RECOMMENDED EQUIPMENT ..... 4 - 5

REGULATORS ..... 6 - 11

AIRSOURCE 12

REGULATOR ACCESSORIES ..... 13 - 14

FULL FACE MASKS 15

SWIMMER VESTS 16

BC'S & ACCESSORIES ..... 17 - 33

TANK BANDS 34

PFD'S & ACCESSORIES ..... 35 - 38

GAUGES 39

SUUNTO INSTRUMENTS ..... 40 - 47

LIGHTS 48

MASKS ..... 49 - 50

SNORKELS 51

FINS ..... 52 - 53

FIN ACCESSORIES & REPLACEMENT PARTS 54

WHITES DRY SUITS ..... 55 - 56

MILITARY WETSUITS 57

PUBLIC SAFETY WETSUITS 58

WETSUITS ..... 59 - 63

HOODED VESTS 64

HOODS 65

GLOVES ..... 66 - 69

BOOTS ..... 70 - 72

BAGS ..... 73 - 75

KNIVES ..... 76 - 77

SURFACE-SUPPLY DIVING ..... 78 - 81

AQUALUNG PUBLIC SAFETY PROGRAM 2013

Professional Grade Equipment for Public Safety Dive and Rescue Teams

Aqua Lung diving equipment has been used for many years by Public Safety dive and rescue teams worldwide and has a reputation for reliability, performance and durability. Core breathing system products such as Apeks regulators provide field-proven capability and performance for SCUBA and surface-supplied diving operations in all environments. Key dive accessories, including fins, diver knives, masks and snorkels, have become benchmark products for the professional diver and the Aqua Lung group continues to develop equipment designed to meet the needs of the Public Safety market. Significant recent developments include ruggedized buoyancy compensators for Military & Professional use, and surface-supplied diving equipment.

Aqua Lung America Public Safety Program

Starting in 2013 Aqua Lung America has revitalized their program for Public Safety clients including a network of Aqua Lung Public Safety dealers and a dedicated program manager. This Public Safety Buyers Guide is available to dealers and end-users to assist and guide their equipment selection. In addition a recommended list of equipment for Public Safety divers has been developed – see pages 4 and 5.

AQUA LUNG GROUP MILITARY & PROFESSIONAL BRANDS & PRODUCT LINES	
Military, Public Safety, Commercial Diving	
AQUA LUNG® Military & Professional	**www.aqualung.com/militaryandprofessional**
WHITES	**www. whitesdiving.com**
apeks	**www.apeks.co.uk**
GORSKI	**www. gorskihat.com**
Aviation, Safety & Tactical	
AERIAL	**www.aerialmachineandtool.com**

RECOMMENDED EQUIPMENT

RECOMMENDED PUBLIC SAFETY DIVE EQUIPMENT

Although all products in this guide are suitable for Public Safety diving tasks, the following equipment is specially recommended by Aqua Lung for use by Public Safety divers. The list is neither exhaustive nor prescriptive. It is intended to identify those Aqua Lung products that are well-suited for use by Public Safety divers on the basis of equipment performance, field-experience, and durability.

Recommended products are identified in the Buyers Guide with the label shown near the product photot.

Product	See Page
Regulator Sets	
Apeks TX50 – Yoke or DIN	8
Apeks XTX50 – Yoke or DIN	9
1st Stage Regulators	
Apeks FSR (XTX200) 1st Stage Regulator, Yoke or DIN	7
Apeks DST (XTX50) 1st Stage Regulator, Yoke or DIN, All 3/8" Ports	9
Apeks DS4 1st Stage Regulator, Yoke or DIN	9
2nd Stage Octopus Regulators	
Apeks XTX40 Octopus w/ 36in Yellow Hose	11
Apeks Egress Octopus	11
1st Stage Regulator Accessories	
Adjustable Pressure Relief Valve (APRV)	13
Full Face Mask (FFM)	
Apeks Guardian FFM	15
Professional Buoyancy Compensators	
Black Ice - Military Versions	18
Pro QD M	19
Apeks WTX Series, including Buoyancy Cells w/internal retractor option	23 - 28
Instruments	
Apeks Console 3: SPG 5000 psi, Depth Gauge 230 ft, Compass	39
Suunto Cobra Computer Pro Pack w/SK7 Compass & QD	40

www.aqualung.com/militaryandprofessional

RECOMMENDED EQUIPMENT

Product	See Page
PFD's & Accessories	
Aqua Lung RescueTec	35
Secondary/Swim Masks (Silicone)	
Micromask, Black/Black	49
Maui, Black/Black	50
Snorkels	
Impulse 3 Snorkel, Flex	51
Military Snorkel, Flex, Black Neoprene	51
Fins - Large Foot Pocket, Lightweight	
Rocket II Fins	52
Shredder SAR Fins	52
Wet Suits	
Isoflex 2-Piece Military Wet Suit	57
7MM Jump Military Wet Suit	57
Gloves	
Men's 3mm Thermocline Kevlar Glove	66
Men's 5mm Thermocline Kevlar Glove	66
Men's 3mm Thermocline Glove	67
Men's 5mm Thermocline Glove	67
Boots	
Koral King Boot	70
Knives	
Master Knife	76
Big Squeeze, Stainless, Blunt Tip	76
Big Squeeze, Titanium, Tanto Tip	76
Jack Knife, Blunt Tip	76
Squeeze Lock, Stainless, Blunt Tip	77
Squeeze Lock, Titanium, Tanto Tip, Blue tabs	77
EZ Lock, Stainless, Blunt Tip	77
EZ Lock, Titanium, Tanto Tip	77

REGULATORS

New XTX Regulators

For 2013, the entire range of XTX regulators has undergone a refresh. New cosmetics coupled with great new features will continue to make Apeks the brand most chosen by serious divers.

- Fresh new look across the entire range
- Optional 5th port available for every model with the additional bonus of an integrated heat exchanger on the XTX200 and XTX100 first stages.
- Braided flexi hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable
- Following on the success of the anti-bacterial mouthpiece, anti-bacterial additive has now been molded into most second stage components. This is especially useful with shared equipment by providing added protection against bacteria.
- The purge buttons are now larger and easier to operate. A 2-stage progressive purge is used. Press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the center for the full effect of the purge, i.e. when regulator clearing etc.
- A new larger venturi lever has been added with a soft touch rubber grip, which makes it easier to locate and use.

Tungsten XTX

The XTX Tungsten is built upon the XTX200 platform but with a truly unique, added feature: it is protected with a hard, durable PVD (Physical Vapor Deposition) finish. This tough-as-nails finish is better than traditional chrome plating. The coating is made of high quality grades of Titanium, Zirconium and Chromium. The result is not only rich, but protects your investment from normal diving abuse.

- Features the innovative Diver Changeable Exhaust (DCE) System allowing the diver to change from a large exhaust tee to a smaller exhaust tee. The larger exhaust tee provides the best exhaust bubble dispersion while the smaller tee is lighter weight and compact, both are included with the regulator.
- The XTX Tungsten can be converted from a right handed hose configuration to a left handed one. The process of changing the regulator to a left handed configuration is both quick and simple. However this procedure MUST only be performed by an Apeks Authorized Service Technician
- The ergonomic venturi lever of the XTX range has been designed to reduce the amount of grit ingress
- Available in yoke or din configuration
- The silicone exhaust valve used on the XTX demand regulator range improves the breathing performance of the regulator.
- Compatible with EAN40 new, out of the box

An AQUA LUNG Company

Part #	Description
AP0335F	Tungsten - Yoke
AP0335F-1	Tungsten - DIN

Apeks XTX200

RECOMMENDED PUBLIC SAFETY PRODUCT

The XTX 200 is the flagship of the Apeks Regulator Range and the definitive blend of style and high performance. Every detail has been carefully designed to offer a high quality piece of equipment.

- Uses the proven "FSR" type first stage as found on the ATX200 and Tungsten models
- Features a bright chrome finish
- All medium pressure ports are now 3/8" so that the reversible XTX second stage can mount to either side of the first stage
- The over-balancing feature allows the medium pressure air in the hose to increase at a rate faster than ambient pressure resulting in superior performance
- Comes standard with an environmental dry kit which keeps water an contaminants out as well as makes the model more resistant to freezing
- Compatible to EAN 40, new, out of the box
- Although shipped in a standard right-hand configuration, this second stage can be reversed into a left-hand configuration by an Authorized Apeks Technician.
- Features new Diver Changeable Exhaust (DCE) System. This system gives the diver the ability to change from a large exhaust tee to a smaller exhaust tee. The large tee provides the best exhaust bubble dispersion; the smaller tee is lighter weight and compact. he regulator comes with both sets of exhaust tees
- Improved exhalation performance and overall work of breathing
- This pneumatically balanced second stage has diver-adjustable controls for opening effort and venturi control
- Suitable for coldwater use

Part #	Description
AP0334F	XTX200 - Yoke - Regulator Set
AP0334F-1	XTX200 - DIN - Regulator Set
AP0363F	FSR (XTX200) First Stage - Yoke
AP0363F1	FSR (XTX200) First Stage - DIN

Apeks XTX100

RECOMMENDED PUBLIC SAFETY PRODUCT

Sharing the same technical features with the XTX 200, the XTX 100 offers exceptional performance.

- Molded environmental diaphragm
- Satin chrome finish
- All medium –pressure ports are now 3/8" so that the reversible XTX second stage can mount to either side of the first stage
- The over-balancing feature allows the medium pressure air in the hose to increase at a rate faster than ambient pressure resulting in superior performance
- Comes standard with an environmental dry kit which keeps water and contaminants out as well as makes the model more resistant to freezing
- Compatible to EAN 40, new, out of the box
- Although shipped in a standard right-hand configuration, this second stage can be reversed into a left-hand configuration by an authorized technician
- Features the innovative Diver Changeable Exhaust (DCE) System allowing the diver to change from a large exhaust tee to a smaller exhaust tee. The larger exhaust tee provides the best exhaust bubble dispersion while the smaller tee is lighter weight and compact, both are included with the regulator.
- Improved exhalation performance and overall work of breathing
- This pneumatically balanced second stage has diver-adjustable controls for opening effort and venturi control.
- Suitable for coldwater use

Part #	Description
AP0333F	XTX100 - Yoke
AP0333F-1	XTX100 - DIN
AP0362F	XTX100 – First Stage – Yoke

REGULATORS

TX50

RECOMMENDED PUBLIC SAFETY PRODUCT

This is the regulator of choice for technical divers around the world.
This time-proven performer gets taken to the extreme and never disappoints.

- 2 high pressure port and 4 medium pressure ports are ideally located for use on a twin manifold or a single valve
- First stage comes standard with a 300 bar DIN connector
- The first stage is dry sealed keeping all internal components protected from the environment
- The TX50 second stage uses a pneumatically balanced valve system and is the most advanced diver adjustable breathing system available
- The TX 50 has ergonomically designed diver adjustable controls for opening effort and venturi assistance allowing the diver to tune the breathing characteristics of the regulator to give virtually ideal breathing
- Because of the TX50's high efficiency heat exchanger system, it can cope with even the coldest conditions without freezing, making it the perfect all round regulator
- The large swept back exhaust tee is excellent for bubble dispersion
- Comes standard with the Comfo-bite mouthpiece for increased comfort
- Compatible to EAN 40, new, out of the box
- Authorized for U.S. Military Use (AMU) in water temp as low as 29 degree F

AMU LISTED

AMU LISTED

An AQUA LUNG Company

Part #	Description
AP0500	TX50 - Yoke - Regulator Set (Note: DST First Stage with 1/2" Port)
AP05001	TX50 - DIN - Regulator Set (Note: DST First Stage with 1/2" Port)
AP0503	TX50, Octopus
AP0230	TX50 First Stage - DST Yoke, with 1/2" Port
AP0230-1	TX50 First Stage - DST DIN, with 1/2" Port
AP0241/AA	Service Kit, Apeks 1st Stages
AP0219/AA	Service Kit, Apeks 2nd Stages
101575	TX50 Tool Kit with Hard Case
AP30202	Adapter, Port 1/2"M to 3/8"F

XTX50

RECOMMENDED PUBLIC SAFETY PRODUCT

The XTX50 Regulator is for the diver who wants the benefits of a feature-rich regulator at a moderate price.

- This popular first stage has four medium-pressure ports all mounted on a rotating turret. This results in optimal hose routing while eliminating sharp bends in the hose.
- The first stage is over-balanced resulting in a higher medium pressure at each depth. This translates to a very responsive, easy breathing regulator.
- Since this pneumatically balanced second stage is part of the XTX family, it has left /right reversibility providing multiple regulator configurations
- Features the innovative Diver Changeable Exhaust (DCE) System allowing the diver to change from a large exhaust tee to a smaller exhaust tee. The larger exhaust tee provides the best exhaust bubble dispersion while the smaller tee is lighter weight and compact, both are included with the regulator.
- Using the venturi control lever, the diver can prevent unwanted free flow when the regulator is out of the mouth and achieve a venturi boost while diving.
- Easy-to-grip opening effort control knob
- Suitable for cold water use
- Compatible to EAN 40 new, out of the box

Part #	Description
AP0332F	XTX50 - Yoke - Regulator Set
AP0332F-1	XTX50 - DIN - Regulator Set
AP0361F	XTX50 First Stage - DST Yoke, All 3/8" Ports
AP0361F1	XTX50 First Stage - DST DIN, All 3/8" Ports
AP0527	DS4 First Stage - Yoke
AP0528	DS4 First Stage - DIN

XTX50/DS4 DIN

RECOMMENDED PUBLIC SAFETY PRODUCT

This first stage goes to the extreme and never disappoints making it the regulator of choice for technical divers around the world.

- This regulator is similar to the XTX50 mentioned previously less the rotating turret
- The compact first stage is ideally suited for twin manifolds or for use on a single valve
- The one high-pressure port and four low-pressure ports are positioned for most common technical diving rigs.
- The over-balanced first stage provides superior performance at deeper depths
- The first stage is dry-sealed preventing the entry of contaminants as well as ice formation on the main spring
- The XTX50 second stage is pneumatically balanced for very easy breathing
- Due to its innovative Reversible Venturi System (RVS), the second stage can be configured into a right hand or left hand orientation.
- Using the venturi control lever, the diver can prevent unwanted freeflow when the regulator is out of the mouth and achieve a venturi boost while diving.
- Easy-to-grip opening effort control knob
- Suitable for coldwater use
- Compatible to EAN 40 new, out of the box
- First stage comes standard with a 300 Bar DIN connector

An AQUA LUNG Company

Part #	Description
AA0342F-1	XTX50/DS4

REGULATORS

AQUA LUNG LEGEND LX

If you want the same high performance features and ease of breathing as the Legend LUX but without the pink gold finish, you will find it with the Legend LX. Like the Legend LUX, the Legend LX features the Master Breathing System (MBS).

- The MBS is a new, simple and effective way to adjust the breathing performance of your Legend LUX. The MBS controls two functions at one time. It controls the direction of air, which alters the venturi effect, as well as changes the opening effort. One control - two functions, it doesn't get easier.

acd system MBS

AQUA LUNG LEGEND

The Legend shares the same features and performance as the Legend LUX and Legend LX with one notable exception. Instead of the MBS dual control valve, the Legend offers a venturi switch.

- The venturi switch helps prevent freeflow at the surface and when the regulator is out of the diver's mouth.
- The opening efforts is present in a fixed position so the diver doesn't have to worry about adjusting the regulator during the dive.

Part #	Description
129620	Legend LX - Yoke
129630	Legend LX - DIN
129680	Legend LX Supreme - Yoke
129690	Legend LX Supreme - DIN
129600	Legend - Yoke
129610	Legend - DIN
129660	Legend Supreme - Yoke
129670	Legend Supreme - DIN

XTX40 Octopus

RECOMMENDED PUBLIC SAFETY PRODUCT

- This octopus is based upon the XTX40 second stage mentioned previously
- It includes left / right reversibility, coldwater capability and the performance you would expect from an Apeks pneumatically balanced valve.
- Diver-adjustable venturi control.
- The unit has a high visibility yellow front cover, yellow accent pieces and a 36" yellow hose.
- Comes standard with small exhaust tee.

Part #	Description
AA0341F	XTX40 Octopus

XTX50 Octopus

- This octopus is based upon the XTX50 second stage mentioned previously
- It includes left / right reversibility, coldwater capability and the performance you would expect from an Apeks pneumatically balanced valve.
- Diver-adjustable controls for opening effort and venturi control
- The unit has a high visibility yellow front cover, yellow accent pieces and a 36" yellow hose.
- Comes standard with small exhaust tee

Part #	Description
AA0342F	XTX50 Octopus

Egress Octopus

Innovative, low profile design minimizes drag. The pneumatically balanced valve provides superior performance for an altenate air source, making it a perfect complement to the high performing Apeks regulators.

- Unique 120° angle between the mouthpiece and the hose, which is ideal for sharing air with your buddy.
- Breathes smoothly when positioned right side up or upside down
- High visibility 36" yellow hose distinguishes your Egress hose from your primary hose and is easily spotted in the event of an out-of-air emergency.

An AQUA LUNG® Company

Part #	Description
AP0756	Egress Octopus

AQUA LUNG AIRSOURCE

The Airsource combines a high-performance second stage with a power inflator. By eliminating the need for a traditional octopus, the diver can streamline his entire system. In addition, unlike a traditional octopus that can drag in the sand or damage coral, you'll take comfort knowing that the Airsource is right in front of you ready to deliver life saving air in a moment's notice.

NEW FEATURES FOR 2013!

- The mouthpiece has been upgraded to Comfobite and is much sturdier
- The MP hose has been upgraded to flexi hose which is lighter weight and more pliable
- The ribbed hose is softer making it easier to pull open the rapid exhaust valve at the top
- Both buttons are stronger and more durable

THE AIRSOURCE RETAINS THESE GREAT FEATURES:

- The second stage valve is pneumatically balanced resulting in unparalleled performance and consistent breathing from start of dive to end. Ideal for use with over-balanced first stages
- "Trim Grip" in the middle of the corrugated hose allows diver to dump air from BC during ascent without removing the Airsource from the mouth
- Using a clever bayonet mount, the Airsource quickly and easily separates from the BC at the "Trim Grip". This allows the Airsource to remain with the diver's complete regulator for packing and traveling
- Ergonomic design optimizes button placement for ease of use
- Soft-touch purge cover is located on the bottom so it won't be inadvertently activated in strong currents
- Low-profile rapid-exhaust valve is activated by pulling on the "Trim Grip" or the lower unit
- Corrugated hose has clips and recessed areas to accommodate the mp hose

Detachable Trim-Grip™

Part #	Description
15230	Airsource with QD Complete
15232	Airsource with QD Installed
15140	Airsource Conversion Kit FCD to QD

AQUA LUNG AIRSOURCE Adapter Ring

Airsource Adapter Rings allow you to mount the innovative Aqua Lung Airsource breathable inflator to BCs built by Mares, Scubapro and Zeagle.

Just because someone has chosen not to dive with the world's best selling brand of buoyancy compensator does not mean that they should be deprived of the best performing breathable inflator. Ditch that standard inflator and octopus and add an Aqua Lung Airsource to your rig. Reduce the number of hoses while you reduce the drag.

Part #	Description
15248	Adapter Ring, Mares
15249	Adapter Ring, Scubapro
15250	Adapter Ring, Zeagle

REGULATOR & ACCESSORIES

Adjustable Pressure Relief Valve (APRV)

- Fully-adjustable relief valve
- Prevents gas hose from rupturing if 1st stage fails
- Recommended safety fitting for all diving operations
- Low profile prevents damage and snagging
- Suitable for any 1st stage diving regulator
- Adjustable 175 – 245 psi (12 – 17 bar)
- Factory preset to 217 psi (15 bar)

Part #	Description
AP0849K	Adjustable Pressure Relief Valve

FREEFLOW Control Device

- Isolates freeflowing 2nd stages
- Guards against unexpected air loss
- Improves diver safety
- Gives total control of a frozen 2nd stage
- Fits any 2nd stage with standard hose fitting

Part #	Description
AP0233	Freeflow Control Device

5 Port Upgrade Kits

Part #	Description
AP0274	5 Port Turret Upgrade Kit
AP02741	5 Port Upgrade Kit, XTX200, 100

DIN to YOKE Converter

- Allows you to quickly and easily convert your existing DIN connector to yoke without the need for tools

Part #	Description
AP0195	DIN to Yoke Converter

DIN Connectors, Accessories, and Service Kits

AP0620

AP0211

AP0211/S

- Allows you to replace your existing yoke connector
- Available in co-molded, bright chrome or satin finish

An AQUA LUNG Company

Part #	Description
AP0620	Apeks Din Adapter - co-molded handwheel
AP0211	Apeks Din Adapter-Chrome
AP0211/S	Apeks Din Adapter-Satin
AP0198	Apeks Flexi Hose
AP0199	Apeks Flexi Hose - Octopus
AP02031	Tek Regulator Hose 3/8"x 6.5ft (2m)
AP0241/AA	Service Kit, Apeks diaphragm 1st stages (except Flight)
AP0219/AA	Service Kit, Apeks 2nd Stages (including Flight)

REGULATOR ACCESSORIES

AQUA LUNG® DIN Adapters + Converters

p/n 125237

Part #	Description
125237	DIN to Yoke Converter
129226	Yoke Conversion Kit, Legend (Std. yoke to ACD yoke)
129227	Din Adapter Kit, Legend (ACD)

AQUA LUNG® REGULATOR Service Kits

Part #	Description
900001	Service Kit, Titan, Conshelf 1st Stage (Non Military)
900012	Service Kit, Legend series & Titan LX series 2nd stages
900014	Service Kit, Legend Series 1st Stage
900017	Service Kit for Legend ACD Series 1st stages
900022	Service Kit for 2012 Legend Series 2nd stage

AQUA LUNG® Replacement Mouth Pieces

Part #	Description
109512	Lip shield
109438	Comfo-bite, Black silicone, std. size, for XLC/ Legend/ Titan/Calypso Series/Kronos/Mikron
216044	2 ea. Comfo-bite mouthpiece, black, reusable tie wrap, pkgd
127826	Comfo-bite mouthpiece, black, small (as found on Mikron)
104138	Black silicone with bite tabs, std. size, for XLC/ Legend/ Titan/Calypso Series/Kronos/Mikron

AQUA LUNG® AQUAFLEX Regulator Hoses

Part #	Description
129861	Hose, MP, AquaFlex, 3/8' X 29"
129862	Hose, MP, AquaFlex, Yellow, 3/8' X 39"

APEKS FULL FACE MASKS

RECOMMENDED PUBLIC SAFETY PRODUCT

- Removable 2nd stage for easy cleaning and storage (cannot be used w/o mask)
- Made of a one-piece, pliable silicone skirt combined with injection-molded, high impact, glass-filled nylon frame and regulator housing
- Double face seal and slightly smaller/low volume oral nasal cavity to fit most faces
- Customizable nose block for equalization
- Air flow is directed up the visor face to eliminate fogging and through one-way valves in the oral nasal pocket to reduce CO2 retention
- Second stage comes off the right shoulder and uses a standard LP hose
- Communications port for easy installation of a Buddy Phone or ear/microphone assembly to connect to OTS' Diver Communications Unit such as the Aquacom® SSB-2010
- OTS AmbientBreathing Valve® (ABV®) allows the diver to breathe ambient air at surface, thus conserving scuba air
- Includes Mask Bag and 32" LP hose
- CE CERTIFIED

Part #	Description
APEKS GUARDIAN FULL FACE MASKS	
103480	APEKS FFM, Black/Black
103481	APEKS FFM, Black/Blue
103482	APEKS FFM, Black/Red
103483	APEKS FFM, Black/Pink
103484	APEKS FFM, Black/Green
103485	APEKS FFM, Blue/Black
103486	APEKS FFM, Yellow/Black
APEKS 1ST Stages	
AP0527	DS4 1ST STAGE-YOKE
AP0528	DS4 1ST STAGE,DIN
AP0230	DST 1ST STAGE,YOKE
AP0230-1	DST 1ST STAGE-DIN
AP0361	DST,XTX,YOKE
AP0361F1	DST,XTX,DIN
AP0849K	Adjustable Pressure Relief Valve (APRV)
OTS Underwater Communication Accessories	
103487	APEKS FFM, Hot Mic, HiUse
103488	APEKS FFM, Super Mic, HiUse
103489	APEKS FFM, Hot Mic, Fem Amp Conn
103490	APEKS FFM, Hot Mic, Male Marsh Conn.
103491	Buddy Phone for APEKS FFM
103492	Buddy Phone 2 Channel Surface Station
103493	FFM Equalizing Kit
103494	FFM Head Strap, Black
103495	FFM One Way Valve (12 Pack)
103496	APEKS Visor with ABV Valve installed
103497	APEKS FFM Annual Maintenance Kit
300680	Mannequin Head

SWIMMER VESTS

AQUA LUNG® CALYPSO BC Swimmers Vest

- The Calypso BC was designed to meet the strenuous demands of militar or professional divers.
- The BC is donned over the head and held in place with adjustable straps.
- Two 38 grams CO2 cartridges are provided for emergency inflation
- Amid-chest utility pocket is provided for small article stowage
- The automatic "dump" valve can be operated manually
- Capacity: 21 liters
- Repair Kit PN: 42611

Part #	Description
394050	Calypso Military BCD

AQUA LUNG® SCOUT Swimmers Vest

- Designed for tactical surface swimming
- Oval neck opening for ease of use
- Military "H" harness straps with "D" rings
- 2 independent 38-gram CO2 inflators
- Oral inflation tube with locking ring
- Overpressure relief/dump valve
- Single bladder made of heavy duty 1000 Denier Nylon
- Large front pocket with Velcro closure
- Attachment straps for emergency air
- Buoyancy 18 lbs (8 liters)
- Replacement CO2 cartridge available

Part #	Description
769031	Scout Swimmers Vest

AQUA LUNG® RESCUE Swimmers Vest

- Designed for tactical surface swimming
- Oval neck opening for ease of use
- Quick-disconnect buckle on waist strap for easy in-water removal
- Strobe attachment straps (strobe not included)
- 2 independent 38-gram CO2 inflators with beaded handles
- High flow oral inflator for rapid inflation/ deflation
- Single bladder made of heavy duty 1000 Denier Nylon
- Large front pocket with radio and glow stick retainer straps
- Buoyancy 18 lbs (8 liters)
- Available in black

Part #	Description
769045	Rescue Swimmers Vest

AQUA LUNG® PARA Swimmers Vest

- Designed for parachute or surface swimming operations
- Velcro straps wrap for compact for use with parachutes
- Military "H" harness straps with "D" rings
- 2 independent 38-gram CO2 inflators with beaded handles
- Overpressure relief/dump valve
- Single bladder made of heavy duty 420 Denier Nylon
- Large front pocket with Velcro closure
- Buoyancy 21lbs. (9 liters)
- Replacement CO2 cartridge available

Part #	Description
769041	Para Swimmers Vest
769042	Vest, Marine Swimmer

seaQuest AQUA LUNG BD - Military versions

RECOMMENDED PUBLIC SAFETY PRODUCT

- The BD has been fitted with a new bladder that allows air to travel completely around the back pack. Air can now transfer easily from one side to the other for greater stability.
- The most solid back inflation BC in the industry
- Exclusive, patented SureLock™ mechanical weight release system
- Constructed of rugged 840 denier nylon
- 5 large stainless steel D-ring attachment points (4 on size Small)
- 2" (50mm) Sea Quest swivel shoulder buckles (patented)
- One, fold-down cargo pocket plus two secure, zippered pockets
- Optional crotch strap (p/n 427038) and optional twin tank kit (p/n 427042)
- Multiset™ waistband for proper waistband sizing
- Optional waistband expanders add 6" to each side (p/n 427030)
- Attachment grommets allow easy mounting of any of the fine Deep See knives
- Vertical adjustment chest strap to compensate for drysuit valves
- Patented Self-Adjusting Lumbar Support (SLS) System conforms to divers lumbar region
- JON line stainless steel ring
- Over-molded carrying handle for convenience
- Rolled, plush collar for added comfort around diver's neck
- Right shoulder pull dump plus 2 lower rear dumps

PICTURED HERE WITH OPTIONAL AIRSOURCE

AMU LISTED

BD Technology Specifications

Type of BC	Back Flotation
Fabric	840 Denier Nylon
Weight System	Fully integrated with SureLock™ or Hook & Loop + 2 rear, non-ditch pockets
Waistband	Adjustable Multi-Set
Back Pack	Large contour back pack with traction pad
Pockets	1 fold-down cargo pocket, 2 secured zippered pockets
Clips, D-Rings	5 SS D-rings (4 on Small), 1 female clip, JON line
Dump Valves	2 standard lower back, 1 Right shoulder
Sizes Available	S, M, ML, L, XL
Colors Available	Black
Optional Features	Twin tank kit, Crotch strap kit, Waistband Expander

Part #	Description	Size
304091	Black 304091 Surelock I	S
304092	Black 304092 Surelock I	M
304093	Black 304093 Surelock I	ML
304094	Black 304094 Surelock I	L
304095	Black 304095 Surelock I	XL
360091	Black, Hook & Loop	S
360092	Black, Hook & Loop	M
360093	Black, Hook & Loop	ML
360094	Black, Hook & Loop	L
360095	Black, Hook & Loop	XL
427042	Twin Tank Kit	
769347	Powerline Inflator	

BC'S & ACCESSORIES

BLACK ICE

The Apeks Black Ice is a rugged, weight-integrated, back inflation BC designed with the advanced diver in mind. Despite its heavy duty construction, it provides amazing comfort, fit and stability thanks to its Wrapture™ harness system (pat. pend.). Due to the modular nature of this BC, a custom fit can be achieved through any of the three sizes. The Black Ice is offered in one color only, you guessed it, black.

- Wrapture™ harness system (pat. pend.) – Using patented swivel shoulder buckles and a proprietary, ultra-thin back plate, the Wrapture™ provides unsurpassed comfort and stability. Wrapture™ prevents the BC from "riding-up" on the surface. Out of the water, the Wrapture keeps the cylinder close to your center of gravity and transfers the weight to your hips. The result is the ability to stand up straight with a cylinder that is perfectly vertical.
- Because of the multiple size settings at the top of the shoulders as well as either side of the waistband, a custom fit can be achieved through any one of 3 sizes.
- SureLock II Mechanical Weight Release System (patented) – provides a safe, single-pull release. Inserting weight is as simple as insert and "click". With SureLock, your weights are secure in the BC. Once engaged, the only way to release the weight is to pull on the handle.
- Dual channel weight pockets in front along with non-ditchable weight pockets in back mean that all sizes can hold up to 42 lbs. (19kg)
- The Black Ice can be rigged for twin cylinders using the optional twin cylinder kit (p/n 427106).
- There are 4 dump valves in all, one in each corner. 3 are proprietary flat valves are very streamlined and effective. The dump valve on the upper left is the rapid exhaust valve found at the top of the Powerline inflator.
- The Powerline inflator assembly boasts one of the fastest inflation rates in the industry. This environmentally sealed unit has integrated clips to keep the l.p. inflator hose tucked in tight.
- The air cell has several pass-throughs that allow easy air transfer from left to right
- A triple bladder retraction system is used to pull in the sides of the bladder during deflation. This keeps unit streamlined and reduces drag.
- The left pocket is a fold down design with deep capacity, perfect for an extra mask.
- The right pocket is a large utility pocket secured with a robust zipper
- Knife attachment points are found on the left pocket flap which will accommodate many of the Squeeze Lock knives. This location provides easy access to the knife.
- Features 5 large, angled, stainless steel D-rings for all of your accessories.
- Rolled neck collar for comfort

PICTURED HERE WITH OPTIONAL KNIFE

WRAPTURE HARNESS SYSTEM PATENT PENDING

Wrapture™ Harness System

BLACK ICE SPECIFICATIONS

TYPE OF BC: Weight-integrated Back Inflation
FABRICS: Air cell is rugged 840 D nylon, Armor X, V-Diamond rubber, ballistic nylon
DITCHABLE WEIGHTS: All sizes hold 32lb/14.5kg
NON-DITCHABLE WEIGHTS: All sizes hold up to 10 lb/4.5kg
LIFT CAPACITY (LBS/N): SM/MD - 52/230, ML/LG - 52/230, XL/XXL - 52/230
COLOR: Black
SIZES: 3 – SM/MD, ML/LG, XL/XXL

Valve Retention Strap

Twin Cylinder Compatible

Innovative Swivel Buckle

SOLAS Reflector Hold Down

Flat Valve Technology

Knife Attachment Points

SureLock™ II Weight System

GripLock™ Tank Band

Part #	Description	Size
397092	Black	SM/MD
397094	Black	ML/LG
397096	Black	XL/XXL
427106	Twin Cylinder Kit	

www.aqualung.com/militaryandprofessional

seaQuest AQUA LUNG PRO QD M

RECOMMENDED PUBLIC SAFETY PRODUCT

Jacket style buoyancy compensator designed for open circuit use. Time proven, and used by many military and professional units worldwide.

- Single bag construction, made of extra durable 1000 Denier Cordura
- Now all black for clandestine operations
- Comes in 5 different sizes
- Buoyancy from 13L (30lbs) to 24L (54lbs)
- 6 stainless steel 2" D-rings
- 2 large zipper pockets with pull cord
- SureLock I mechanical weight release system (safe, dependable and reliable)
- Knife grommets and instrument retractor attachment point on left pocket
- 2 overpressure relief/dump valves
- CE approved (EN1809)

Part #	Description	Size
394031	Pro QD-M, Black	S
394032	Pro QD-M, Black	M
394033	Pro QD-M, Black	ML
394034	Pro QD-M, Black	L
394035	Pro QD-M, Black	XL
394036	Pro QD-M, Black	2XL

Hi-Viz

Part #	Description	Size
394181	Pro QD-M, Hi-Viz	S
394182	Pro QD-M, Hi-Viz	M
394183	Pro QD-M, Hi-Viz	ML
394184	Pro QD-M, Hi-Viz	L
394185	Pro QD-M, Hi-Viz	XL
394186	Pro QD-M, Hi-Viz	2XL

MISSION SPECIFIC DIVE PRODUCTS

AQUA LUNG

COMBAT SWIMMER ASSAULT VEST (CSAV)

(Distribution may be restricted-Check with Aqua Lung)

Multi-use Buoyancy Compensator that adapts to front and back mounts rebreathers, and to open circuit SCUBA.

- Doubles as a lifejacket
- Black color for clandestine operations
- Double-bag construction (bladder volume: 15.8L / 35lbs), outer bag made of extra durable 1000 Denier Cordura.
- Can be inflated by 2 cylinders (3,000psi - 0.21L / 1.5cu.ft), direct feed inflator or orally
- Authorized for U.S. Navy Use (ANU listed) as a Life Preserver
- Molle straps for accessories attachment
- 2 Drain caps
- 1 overpressure relief/dump valve

Part #	
COMBAT SWIMMER ASSAULT VEST (CSAV)	
769100	CSAV Vest Complete Gen 3, w/o cylinders
769116	CSAV Vest Complete Gen 3, with 2 cylinders
769364	Kit Bag, MMJ
769082	Pocket, Bottle, CSAV
769092	Kit, Strap, MK 25
769089	Kit, Strap, MK 16
769141	Kit, Strap, Twin and Single SCUBA
769083	Wt Sheath, each, 10 lbs, CSAV
769143	Wt Sheath, each, 20lbs, CSAV
769144	Wt Pouch, each, 20 lbs, CSAV
710108	Weight, soft, 4lb, Blue
101271Z	Cylinder1.5 cu. Ft., w/valve for Atlantis, CSAV, CDV, MAG Version
101294	Cylinder1.5 cu. Ft (Blk Anodized)., w/valve, MAG Version
102100	Valve Assy, w/3.0 cu foot bottle
769123	Pocket, Bottle, 3 cf ft
769106	Kit, Spare Parts, Field
769105	Bladder, CSAV NSW, packaged
108615	LPIS, Low Pressure Inflation System
769146	Pocket LPIS, Black Nylon

AQUA LUNG® DIMENSION i3

An Aqua Lung first! The Dimension i3 is a back inflation BC with an integrated i3 inflation/deflation system. The integrated Wrapture™ harness system (pat. pend.) allows you to stand up straight in total comfort while the cylinder remains perfectly vertical and pulled in close. Loaded with features, this innovative buoyancy compensator is built with high quality materials keeping both comfort and style in mind.

- By placing the air cell behind them, the diver is more streamlined.
- The integrated i3 control system provides a single touch control for both inflation and deflation.
- Flat e-valves (pat. pend.) are very streamlined and effective.
- One-way design keeps water out.
- The multiple dump feature means that when you depress the i3 lever, all of the flat e-valves open at once! No more reaching for the wrong valve.
- Custom backpack is thin to keep cylinder close to your center of gravity and efficiently distributes the cylinder weight.
- The Wrapture™ Haness System works in conjunction with the shoulder swivel buckles (patented) to prevent ride-up and supports the weight pockets
- The patented SureLock™II weight system provides a simple, single pull release. Loading is as simple as insert and "click".
- Pull down oral inflator is easy to deploy and stow.
- A strong retractor band is used to pull in the sides of the bladder while deflating.
- An adjustable chest strap can be raised and lowered on a rail system.
- HP and MP hose routings throught the back keep your entire kit low profile thus minimizing drag.

DIMENSION i3 SPECIFICATIONS

TYPE OF BC:	Back inflation unit with an integrated i3 system
FABRICS:	Air cell made from heat-sealable 1000D Armorshield™ Cordura® outside and 500D Armor™ Cordura® inside, Armor X, 1050D ballistic nylon, V-Diamond Rubber, Titanium mesh, various open-cell foams for padding and comfort
WEIGHT:	All sizes capable of holding 30lbs / 13.5 kg of lead weight
SYSTEM:	SureLock™ II ditchable pockets are single channel each capable of holding 10 lbs / 4.5 kg. Each of the two trim pockets can hold up to 5 lbs / 2.25 kg each non-ditchable pockets , located on the back of the BC
LIFT CAPACITY (LBS/LTR)	S-35/150, M-50/220, ML-50/220, L-50/220, XL-50220
COLOR:	Black/Charcoal
SIZES:	SM, MD, MK, LG, XL

4 ea Angled Stainless Steel D-rings

Valve Retention Strap

Octo-pocket and Octo-D ring

i3 Controller

Flat e-valve technology

Knife attachment points

SureLock™ II Weight System

Pocket within a Pocket (A large utility pocket and a smaller security pocket)

Part #	Description	Size
308401	Black/Charcoal	XS
308402	Black/Charcoal	MD
308403	Black/Charcoal	LL
308404	Black/Charcoal	LG
308405	Black/Charcoal	XL

BC'S & ACCESSORIES

AQUA LUNG AXIOM i3

The Axiom i3 is our most comfortable and easy-to-use BC yet. It is a feature-rich, ADV style, wrap-around jacket that incorporates the innovative i3 inflation / deflation system (patented). The Integrated Wrapture™ harness system (pat. pend.) allows you to stand up straight in total comfort while the cylinder remains perfetly vertical and pulled in close. Diving has never been this comfortable. The Griplock™ tank band and buckle system makes its debut on the Axiom i3. This strong secure system makes attachment to a cylinder easier than ever before. Gone are the days of complicated web weaving and you don't have to worry about pinching your fingers with the innovative finger saver feature (pat. pend.)

- The Wrapture™ harness system, using the shoulder swivel buckles (patented) and a customized mini-back plate, provides comfort and stability while preventing "ride-up" at the surface
- The i3 Control System (patented) provides single touch control for inflation and deflation
- The low profile flat e-valves (pat. pend.) all open simultaneously when the i3 lever is depressed
- The Griplock™ tank band and buckle system provides security and easy change out of cylinders
- SureLock II weight pouches (patented) provide a simple, single-pull release. Loading is as simple as insert and "click"
- Pull down oral inflator is easy to deploy, use and stow
- A bladder retraction system is used to pull in the sides of the bladder during deflation
- An adjustable chest strap can be raised or lowered on a rail system
- A scooped octo-pocket on the top, front of the right lobe makes it easy to stow and deploy an octopus. The octopus remains visible and accessible throughout the dive
- Ability to run instruments behind the left pocket and out the scooped opening on the top, front of the lobe
- Pocket within a pocket - A small security pocket is found on the flap of a larger drop- down pocket
- Knife attachment points are found on the left lobe
- Features 5 stainless steel D-rings and 2 plastic D-rings for all of your accessories
- Right shoulder pull dump
- Rolled neck collar for comfort

AXIOM i3 SPECIFICATIONS

TYPE OF BC:	Weight-integrated, ADV style, wrap-around jacket with i3 Control System
FABRICS:	Air cell is 500D Armor™ Cordura®, Armor X™ color panels, 1050D ballistic nylon, Titanium mesh
DITCHABLE WEIGHTS:	XS - ML hold up to 20lbs / 9 kg, LG - XXL hold up to 30 lbs / 13.5 kg
NON-DITCHABLE TRIM:	All sizes hold up to 10 lbs / 4.5 kg of weight in two pockets on tank band
WEIGHT:	
LIFT CAPACITY (LBS/LTR)	CX-31/130, S-31/130, M-36/160, ML-41/180, L-44/190, XL-47/200, XXL-54/240
COLOR:	Black/Navy/Grey
SIZES:	XS, S, M, ML, L, XL, XXL

Valve Retention Strap

Guage Holder

Octo-pocket and Octo-D ring

i3 Controller

Flat e-valve technology

Knife attachment points

SureLock™ II Weight System

GripLock™ Tank Band

Part #	Description	Size
312370	Black/Navy/Grey	XS
312371	Black/Navy/Grey	SM
312372	Black/Navy/Grey	MD
312373	Black/Navy/Grey	ML
312374	Black/Navy/Grey	LG
312375	Black/Navy/Grey	XL
312376	Black/Navy/Grey	XXL

Apeks WTX Series

Apeks, the company that produces the premiere line of technical regulators, offers you a premiere line of technical BCs. Presenting the WTX Series – a selection of harnesses, buoyancy cells and accessories that will certainly appeal to today's technical divers. These fine products offer unparalleled versatility through their modularity. The components can be assembled into a highly technical rig for those trained to push the limits or scaled down to make a travel friendly rig that any diver would want to use.

Each product has been carefully designed by the Apeks' engineering team in conjunction with some of the most accomplished technical divers of our time. Each component has undergone extensive field-testing to make sure the design is right the first time. All materials and components were selected for strength and durability. The result is a product selection that technical divers can have confidence in.

WTX Series Twin Cylinder

WTX PSD Harness

This is our most versatile harness. Solid construction coupled with durable materials make this harness a cornerstone for many applications.

- Can mount directly to a single cylinder using dual nylon cylinder bands or a single tank adapter
- Can accept an Apeks back plate for heavy loads such as twin steel cylinders
- Multiple grommet settings on the waistband allow the attachment of the SureLock™ weight system
- Open shoulder design allows diver to add or remove hardware for total customization
- Made from rugged 1050D Ballistic Nylon
- Removable crotch strap made of 2" (5cm) soft webbing
- 6-two inch stainless steel D-rings (2, angled, on shoulders, 2 on the hips and 2 on the crotch strap)
- 6-one inch stainless steel D-rings along the sides accommodate light canisters, argon bottles or other accessories
- 2-one inch stainless steel D-rings along the lower back are for marker buoys, reels or other accessories
- Removable back pad
- Heavy-duty waist buckle made of stainless steel
- Stainless steel triloaders distribute the load between the back, waist and shoulders for a great fit
- SOLAS reflector airway hold-downs can be removed or repositioned
- Chest strap comes standard
- Includes 2 ea. GripLock™ Tankbands

WTX Harness

Part #	Description	Size
388190	Apeks WTX PSD Harness	S
388191	Apeks WTX PSD Harness	M
388193	Apeks WTX PSD Harness	L
388195	Apeks WTX PSD Harness	XL

BC Size Guide

*The figures in this guide are approximate, not absolute

SIZE	WAISTE RANGE		OVER THE SHOULDER RANGE
	WTX Harness Only	WTX Harness w/ SureLock Wt System	Measured from center of the waistband front to center of waistband back
SM	29-60in / 74-152cm	33-60in / 84-152cm	34-43in / 86-109cm
MD	29-60in / 74-152cm	33-60in / 84-152cm	36-45in / 91-114cm
LG	32-60in / 81-152cm	36-60in / 91-152cm	40-49in / 102-125cm
XL	34-60in / 86-152cm	38-60in / 97-152cm	42-51in / 107-130cm

BC'S & ACCESSORIES

Deluxe One-piece Webbed Harness

This simple, yet strong, harness can take the load of a fully rigged technical diver. It can be easily customized with the hardware of your choice.

- 12' of solid 2" (5cm) webbing with center grommet
- 2" (5cm) wide crotch strap
- 6 stainless 2" (5cm) D-rings
- Includes neoprene shoulder protectors
- 2 elastic retaining loops on shoulders and one on crotch strap
- Heavy duty stainless waist buckle
- 6 stainless serrated retainers
- Tank bands, p/n 28228, not included

***BACK PLATE NOT INCLUDED WITH DELUXE WEBBED HARNESS**

Part #	Description
388040	Deluxe Webbed Harness

WTX Backplate - Steel or Aluminum

The backbone of any system - this cleverly designed back plate can be used with the webbed harness or inserted into the WTX Harness.

- Offered in either 304 stainless steel or 6061 anodized aluminum alloy
- The stainless steel weighs approx 5 lbs (2.2 kg)
- The aluminum weighs approx 1 lb 11oz (753g)
- 4 each upper and lower slots accommodate nylon cylinder bands so a single cylinder can be strapped directly to the plate. Having a series of 4 slots provides lateral stability of the cylinder that traditional 2 slot plates cannot
- 3 holes at the top of the plate offer a range of height adjustments for the buoyancy cells and the cylinders. In addition, a corresponding lower center slot allows for lower band bolts that are misaligned
- 2" wide crotch strap slot
- Upper and lower perimeter holes along either side and holes along the bottom allow for the mounting of accessories
- Both offer an electro-plate finish and a laser-etched Apeks logo to enhance the look of the plate

Part #	Description
388030	Apeks Backplate, Stainless
388028	Apeks Backplate, Aluminum

WTX Single Tank Adapter (STA)

The single tank adapter is a great way to quickly attach a single cylinder to a back plate or the WTX harness.

- Made of 316 stainless steel
- Weighs 1 lb. 1 oz. (490g) without hardware
- Comes with 2 sets of bolts and one pair of washers and wing nuts
- 1" bolts for directly mounting to back plate
- 1.5" bolts for mounting to back plate inside WTX harness
- Nylon tank bands are not included and may be purchased separately (p/n 28228)

STA Mounted on Cylinder

Part #	Description
388029	Single Tank Adapter

Apeks WTX3 Buoyancy Cell

This single cylinder buoyancy cell can mate to the WTX Harness or directly to the back plate.

- Gussets along each side allow for a full 34 lbs of lift without compromising the overall size of the WTX3
- 4 slots allow it to be mounted to a WTX harness or back plate using upper and lowe nylon cylinder bands
- 2 pairs of grommets allow the WTX3 to be bolted on if a single cylinder mounting kit is used
- A 2" (5cm) wide restriction band at the bottom of the WTX3 allows the cylinder to nestle into the inflated buoyancy cell so it doesn't get pushed away from your body
- A 2" (5cm) D-ring on the restrictor band is a convenient place to add accessories like a surface marker buoy
- The airway comes off the top back center of the cell. A safety cable inside the elliptical hose prevents hyperextension of the corrugated hose
- Features the Apeks technical inflator with brass buttons
- Includes front, lower left pull dump
- Constructed from durable 840-denier nylon

Part #	Description
388032	WTX3–Buoyancy Cell

Apeks WTX4 Buoyancy Cell

The WTX4 is a smaller version of the WTX6 & WTX8 but it can accept single cylinders too!

- The WTX4 provides 45lbs. of lift
- The WTX4 can mate directly to the WTX harness or the stainless steel back plate using twin tank bands or using center bolts
- Highly efficient drains allow water to empty quickly after a dive
- Outer bag constructed out of 1000D Armorshield™ Cordura® to resist abraision and fading
- Inner bag constructed from mil-spec welded fabric, the same fabric used in survival vests worn by US fighter pilots.
- The airway comes off of the back top center of the cell. A safety cable inside the elliptical hose prevents hyperextension of the corrugated hose
- Features the Apeks technical inflator with brass buttons
- Pull dump on inside lower left
- Optional pull dump may be added to the inside lower right
- Accepts WTX Internal Retractor Kit part number: 388300

*Available with extended length PSD Airway

Part #	Description
388345	Apeks WTX4 45lb Buoyancy Cell with Retract Option
* 388545	Apeks WTX4 w/PSD Airway and Retract Option

BC'S & ACCESSORIES

WTX6 & WTX8 Buoyancy Cells

- These twin cylinder buoyancy cells provide 60 lbs and 85 lbs of lift respectively
- Outer bag constructed out of 1000D Armorshield™ Cordura to resist abrasion and fading
- Inner bag constructed from mil-spec welded fabric, the same fabric used in survival vests worn by US fighter pilots.
- Inner bladder protected from zipper with V-diamond rubber
- Pull dump on inside lower left
- Optional pull dump may be added to inside lower right
- Highly efficient drains empty water quickly after the dive
- 3 upper grommets allow various height settings coupled with a lower slot that compensates for misaligned band bolts
- The airway comes off the top back center of the cell. A safety cable inside the elliptical hose prevents hyperextension of the corrugated hose
- Features the Apeks technical inflator with brass buttons
- Accepts WTX Internal Retractor Kit part number: 388300

Part #	Description
388360	WTX6 Buoyancy Cell with Retract Option
388380	WTX8 Buoyancy Cell with Retract Option

WTX6R Buoyancy Cell

The first of it's kind. This clever, redundant buoyancy cell has both airways coming off the back top of the cell. This is the ideal location for a diver in the swimming position.

- This redundant system contains two inner cells in one outer bag. Either cell is capable of generating 60 lbs of lift when it is full. Dive with peaceof mind knowing that you're carrying a redundant system
- The WTX6R can mate directly to the WTX harness or the stainless steel back plate using twin tank bands or using center bolts
- Highly efficient drains allow water to empty quickly after a dive
- Outer bag constructed out of Armorshield™ Cordura® to resist abraision and fading
- Inner bags constructed from mil-spec welded fabric
- A safety cable inside the elliptical hoses prevents hyperextension of the corrugated hoses
- Features the Apeks technical inflator with brass buttons
- The air cell closest to the diver has a pull dump on inside lower left with a capped-off port on the inside lower right for an optional right dump
- The air cell furthest from the diver has a pull dump on outside lower right with a capped-offport on the outside lower left for an optional left dump
- Accepts WTX Internal Retractor Kit part number: 388300

Part #	Description
388460	WTX6R Buoyancy Cell Redundant with Retract Option



WTX Internal Retractor Kit

- Can be installed on WTX4, WTX6, 6R and 8 (above)
- Comes with full instructions
- Consists of two retractor bands in a bag

Part #	Description
388300	WTX Retractor Kit

WTX Tek Pockets

NEW '13 FOR 2013

A full range of Tek pockets have been designed to complement the WTX range. They can be attached to your WTX system or any other BC/Wing and/or drysuit.

- The system is modular so you can attach one pocket to the other if space is at a premium. A separate stainless steel hardware kit is available for this.
- The large pockets are available in heavy duty hook and loop and zipper versions, allowing for easy open / close even when wearing thick gloves.
- The pockets contain internal bungee attachment points to clip your gear to.
- Models:
  - o THIGH POCKET - with large volume capacity and extra security of leg band to carry reels, spools, torches or knives.
  - o LARGE CARGO POCKET- with Zip Closure and capability to fix directly to Waistband grommets, or straight over the side Lobe even after Diver is kitted up.
  - o SMALL POCKET - fits to the front of the Large Cargo if desired. For carrying, slate, floats, line markers or extra weights.
  - o MESH POCKET – For carrying SMBs, or a redundant mask



Part #	Description
388000	WTX BC Pocket Mesh
388005	WTX BC Pocket Cargo Small
388010	WTX BC Pocket Cargo Large
388015	WTX BC Pocket Thigh
388018	Kit, Bolt/Nut 5 Pack for Pockets

BC'S & ACCESSORIES

SureLock™ Weight System

This popular accessory is ideal when it becomes necessary to add additional weight to your rig.

- Bolts directly to the WTX Harness
- Able to mount to the back plate with use of SureLock™ attachments
- Includes necessary attachment hardware plus spares
- 2" stainless adjustable D-rings on the outside of each pocket
- Features the SureLock™ (patented) mechanical weight release buckles which prevent weights from releasing until you want them to
- Each pocket holds up to 10 lbs (4.5kg) of lead
- Includes attachment grommets to mount your choice of Deep See knives

Part #	Description
388020	Apeks Surelock Weight System, 10Lb

SureLock™ Attachments

This unique accessory allows you to mount the SureLock™ Weight System (Patented) directly to the back plate.

- Includes necessary attachment hardware plus spares
- May be used without the SureLock™ Weight System to spread the weight of the cylinders over the hips
- 3 different grommet settings allow for proper positioning of the SureLock™ weight pockets

Part #	Description
388045	WTX SureLock Weight System Attachments

Airway Complete and Powerline Inflator

APEKS WTX AIRWAY COMPLETE

- Rugged housing with solid brass buttons
- Elliptical hose for lower profile and less drag
- An internal safety cable prevents hose from being hyperextended
- Simple 90° elbow at the top

APEKS POWERLINE (AS FOUND ON BLACK ICE)

- Integrated hose clips attach to the MP hose
- Cable-activated rapid exhaust at the top, simply pull down on lower unit to dump air

Part #	Description
42772	Apeks Airway Complete
42820	Apeks Powerline Inflator

AQUA LUNG BC Accessories

Increase your visibility day or night with Aqua Lung's innovative Reflector Kit

RECOMMENDED PUBLIC SAFETY PRODUCT

Part #	Description
427047	Reflector Kit
28228	Universal Tank Band

AQUA LUNG POWERLINE Inflators

- Increased fill rate; now one of the highest air flows in the industry
- Environmentally sealed unit
- Dual valve for rapid exhaust and over-pressure relief
- Integrated hose clips attach to the hose



Powerline Inflator New



Military Powerline

Part #	Description
42810	Powerline Inflator New
769347	Military Powerline

AQUA LUNG Low Pressure Hoses

Part #	Description
45822	Low Pressure Hose, Braided 22"
45825	Low Pressure Hose, Braided 25"
45827	Low Pressure Hose, Braided 27"
45833	Low Pressure Hose, Braided 33"
45836	Low Pressure Hose, Braided 36"
45840	Low Pressure Hose, Braided 40"

AQUA LUNG Service Kits

Part #	Description
900020	Service Kit, i3 Inflator
42609	Service Kit, Powerline Airway

BC'S & ACCESSORIES

AQUA LUNG Deluxe Weight Pouch (10 lbs.)

Part #	Description
42752	Wt. Pouch - Deluxe 10 lbs. w/ carry handles (hook n loop)

AQUA LUNG Deluxe Weight Pouch (16 lbs.)

Part #	Description
42751	Wt. Pouch - Deluxe 16 lbs. w carry handles (hook n loop)

AQUA LUNG Universal Weight Pouch (10 lbs.)

Part #	Description
42726	Wt. Pouch - Universal 10 lbs. (hook n loop)

AQUA LUNG Universal Weight Pouch (16 lbs.)

Part #	Description
42716	Wt. Pouch - Universal 16 lbs. (hook n loop)

AQUA LUNG Removable Trim Pocket (5 lbs.)

Part #	Description
427085	Removable Trim Pocket-5 lbs./2.2kg

AQUA LUNG SureLock II Weight Pouch (10 lbs.)

Part #	Description
42797	Wt. Pouch - SureLock II 10 lbs.

AQUA LUNG SureLock II Weight Pouch (16 lbs.)

Part #	Description
42798	Wt. Pouch - SureLock II 16 lbs.

AQUA LUNG SureLock II Weight Pouch (15 lbs.)

Part #	Description
42799	Wt. Pouch - SureLock II 15 lbs.

AQUA LUNG SureLock Weight Pouch (10 lbs.)

Part #	Description
42767	Wt. Pouch - SureLock 10 lbs.

AQUA LUNG SureLock Weight Pouch (16 lbs.)

Part #	Description
42768	Wt. Pouch - SureLock 16 lbs. w/ carry handle

BC Size Guide & Lift Capacity

* THE FIGURES IN THIS GUIDE ARE APPROXIMATE, NOT ABSOLUTE.

Model	Size	Height	Weight	Waist Range	Over the Shoulder	Total Weight	Releaseable Weight	Lift in Pounds	Lift in Newtons
PRO QD M	XS	5-5'5	100-125	25-37	32-38	20/9	20/9	27	120
	S	5'2-5'7	120-155	27-42	34-40	28/13	20/9	30	130
	M	5'7-5'10	150-165	30-45	39-45	30/13.5	20/9	35	150
	ML	5'10-6'0	160-190	32-47	41-47	30/13.5	20/9	38	160
	L	6'0-6'2	180-210	35-50	43-49	42/19	32/14.5	47	200
	XL	6'2-6'5	195-240	37-52	45-51	42/19	32/14.5	61	270
	XXL	6'2-6'5	230-270	44-59	45-51	42/19	32/14.5	61	270

Measurement Instructions

Waist size in men is normally measured by placing the measuring tape around the waist, cresting the pelvic bone. This measurement is not accurate for BC fitting. The waist size in men should be measured at the height of the belly button just above the pelvic bone (Figure 1). Women's waist size is always measured just above the pelvic bone (Figure 1). This same measurement applies for BC fitting.

Over The Shoulder (OTS) measurement is taken by placing the measuring tape across either the right or left shoulder and reading the distance between the top of the waist line on the back to the top of the waist line in the front (Figure 2). Again, for this measurement in men the waistline is taken to be at the height of the belly button. When fitting the customer in his/her respective waist size and OTS range, inquire what thickness of wetsuit the BC is most likely to be worn with. Calculate about a 2" allowance for the waist measurements for thick, cold water suits.

FIGURE 1: Measuring points for waist size. **FIGURE 2:** Measuring points for OTS length.



AQUA LUNG COMPACT RETRACTOR Kit

- Removable J-clip attaches to console for attachment to exterior of BC
- Snap clip attaches to D-ring
- Console pack comes with additional threaded stud mount
- Connect to console with either a split ring or adjustable lanyard
- Designed to survive extended salt water and chlorine exposure
- Stainless steel spring and hardware
- 60 lbs. breaking strength

Part #	Description
D745915	Compact Retractor Kit

AQUA LUNG RETRACTOR PLUS Kit

- Line Lock feature for securing heavy objects
- Self-cleaning mechanism
- 31" cord with high force spring
- Multiple mounting options:
  Can be attached inside pocket or clipped onto BC

Part #	Description
D745914	Retractor Plus Kit

AQUA LUNG RETRACTOR Kit

- Self-cleaning mechanism
- 42" cord with high force spring & 12 oz. retraction force
- Attaches inside BC pocket, but cannot be clipped onto a BC
- Recommended for attachment of flashlights or cameras

Part #	Description
D745034	Retractor Kit

Steel key-ring or plastic J-clip may be attached to cord end.

BC'S & ACCESSORIES

Cap-Off Kit



Key #	Part #	Description
1	***15309***	***Gasket, Connector Seal***
2	15665	Cap, Connector, Acme Thread

Universal Dump Valve Set



Key #	Part #	Description
	42754	Universal Dump Valve Kit, Acme Thread
	42722	Universal Dump Valve Kit, Std Thread, Pre-1988
1	10079	Cap, Over Pressure
2	15617	Spring
3	15650	Plate
4	***15604***	***Seal***
5	12234	Pull Knob

Part numbers in ***BOLD ITALICS*** indicate standard overhaul replacement part.

CO2 Assembly



Key #	Part #	Description
1	13211	CO2 Cartridge, 16 gram
2	***704014***	***Gasket***
3	13216	Nut
4	***15737***	***Nut Gasket***
5	13207	Detonator
6	***15738***	***Base Gasket***
7	12234	Pull Knob

Miscellaneous

Key #	Part #	Description
n/s	42611	BC Puncture Repair Kit 4
n/s	13211	CO2 Cartridge, 16 gram, for Snorkel Vest
n/s	42720	Carabiner Clip

AQUA LUNG® MARINER Twin Pack

Part #	Description
083400	Mariner Twin Pack

AQUA LUNG® MARINER Twin Tank Harness

Part #	Description
082700	Mariner Twin Tank Harness

AQUA LUNG® MARINER Kam Pack

Part #	Description
088150	Mariner Kam Pack

TANK BANDS

AQUA LUNG® GRIPLOCK™ Tank Band Assembly

RECOMMENDED PUBLIC SAFETY PRODUCT

The GripLock™ tank band assembly is the easy and safe solution for securing a cylinder to a BC.

- Modern design
- Easy to rig and adjust
- Durable metal buckle
- Innovative "Finger-Saver" feature (pat. pending) eliminates pinched fingers
- Macro-adjustment is set just once for each cylinder diameter
- Three presets cover the various diameter cylinders in the field today
- Micro-adjustment for fine tuning the fit after the band is on the cylinder
- Rubber traction pad on the backside of the GripLock™ provides added security
- Bands may be retrofitted to all BCs
- 2 sizes available – select according to cylinder and BC type

NOTE:
Griplock Tank Bands are supplied packaged as single items.

Part #	Description
428210	GripLock Tank Band, Long, non-Wrapture™ harness version, for PRO QD M, Black Diamond, and WTX Harness
428230	GripLock Tank Band, Standard Length, Wrapture™ harness version, for WTX Back Plate w/ Deluxe One-Piece Webbed Harness

AQUA LUNG RescueTec

RECOMMENDED PUBLIC SAFETY PRODUCT

Force 6 Swift Water RescueTec PFD is a UL listed and United States Coast Guard approved Type 5 Professional Swiftwater Rescue PFD. The RescueTec PFD is feature loaded including a removable left-front pocket, dual 1 1/2 in QR belts for throw bag attachment, waist belt with Gripp-Loc to prevent ride up. Adjustable shoulders with dual AustriAlpin anodized aluminum buckles, Moulded extraction handle, 4 inch Velcro name attachment back-band, Heavy duty YKK front entry zipper, 12 elastic strap container bands, rear hydration attachment points, neoprene neck water damn, lapel strap tunnels, and reflective material on both the front and the back.

- UL listed and United States Coast Guard approved Type 5 Professional Swiftwater Rescue PFD
- 26 lbs.minimum flotation on both the S/M and L/XL models
- S/M (28" - 44"" Chest); L/XL (38" - 56" Chest)
- Gripp-Loc on waist belt to reduce ride up
- Left Front Pocket
- Swim Harness (Leg Straps)
- Shell Fabric - High tenacity 420 Denier Fabric

ACCESSORIES (Sold Separately)
- Right Front Pocket (sewn in radio harness)
- Rear Pocket
- Extrication Leash

ENVIRONMENT
This PFD can be used in all River, Lake, and Ocean Environments including:
- Aerated Moving Water
- Flood waters
- Surf

Part #	Description	Color	Size
311000	Aqua Lung RescueTec	Red	S/M
311001	Aqua Lung RescueTec	Red	L/XL

AQUA LUNG Front Pockets

Part #	Description	Color
521650	Right Front	Red
521651	Left Front	Red

PFD'S & ACCESSORIES

FORCE 6 Rescuer

RECOMMENDED PUBLIC SAFETY PRODUCT

Materials :

Fabric: The 420 denier high tensile strength, mil. spec. ripstop nylon inner and outer shell was chosen because, when compared to 500 denier Cordura or pack Cloth for instance, it has better wear resistance, less friction (very slippery in the water, faster to swim with), does not attract or hold dirt (which decreases wear), does not absorb water (which increases the PFD™ mass in the water) and overall makes the PFD lighter. All buckles, thread, stitch count, strap material and webbing are UL tested and certified.

Med / Large - 32" - 52" Chest (26 lbs. Buoyancy)

Xlarge - 44" - 62" Chest (30 lbs. Buoyancy)

- Center Zipper
- Integrated 2.5 cm. / 1 inch nylon tape structural harness.
- Patent Pending over the shoulder, left or right hand option, one hand to operate, Extrication Leash.
- Knife / scissors and strobe light attachments on both sides / shoulders.
- Reflective tape over the shoulder and on both front pockets.
- Inside quick drainage mesh.
- One piece over the shoulder foam for strength and structural integrity.
- Armhole adjustment straps
- Three-part waist belt for fit.
- Two front mesh pockets
- Color: Red Only

Part #	Description	Color	Size
521626	Force 6 Rescuer	Red	ML
521627	Force 6 Rescuer	Red	XL
521686	Optional / Detachable Swim Harness		

FORCE 6 RESCUE SYSTEM BAG

RECOMMENDED PUBLIC SAFETY PRODUCT

- Force 6 Rescue Systems Bag - This is a two part bag system that is zippered together.
- One bag is a double ended rope bag that holds approximately 400 ft. of 8mm or 650 ft. of 6mm rope.
- The second bag is an equipment bag which has loops to hold up to 18 carabiners.
- Pulleys can be attached to carabiners.
- A mesh pocket in which to store prusicks, and webbing loops.
- The equipment bag has sewn in flips which make it an equipment ground sheet.
- This bag puts your rope and equipment in one easy to carry and store package.

Rope and hardware pictured is not included

Part #	Description
521602	Force 6 Rescue System Bag

PFD'S & ACCESSORIES

FORCE Delta Throw Bag

- Center Zipper
- Compact "Weight Forward" Design
- 1/4" x 100 ft. (100% Multi Filament Polypropylene rope)
- Side Zipper (easy stuffing)
- Ripstop Nylon Bag
- Rear Loops for Belt Mounting

Part #	Description	Color	Rope
871005	Force 6 Delta Throw Bag	Red	100 ft.

FORCE Dart Throw Bag

- Center Zipper
- Compact "Weight Forward" Design
- 1/4" x 70 ft. (100% Multi Filament Polypropylene rope)
- Side Zipper (easy stuffing)
- Ripstop Nylon Bag
- Rear Loops for Belt Mounting

Part #	Description	Color	Rope
871004	Force 6 Dart Throw Bag	Red	70 ft.

Apeks Analog Instruments

Apeks instruments supply clear and accurate information on your dive status. Our instruments are tested beyond normal dive limits to ensure they provide this precise information for all your dive experiences. Strong, easy to maintain housings provide years of trouble free service. You can be assured of the quality/finish of all your Apeks equipment. Our gauges and gauge consoles are designed and finished at our UK factory ensuring that every aspect reflects our commitment to quality. The gauges are stylish and fit perfectly with other products in the Apeks range, such as our world famous regulators.

SUBMERSIBLE PRESSURE GAUGE (SPG)

- The slim-line gauge case is made from nickel plated brass
- Large loop area designed into the housing for ease of attachment
- The dial range is from 0 to 5000 psi
- Uncluttered, with large black figures on a luminous background giving a long phosphorescent effect
- Made with O2 compatible materials but be sure to O2 clean before use with high percentage oxygen
- The dial window is made of highly shock resistant material (anti-splinter Polycarbonate) to protect your quality gauge
- Over pressure relief fitted in the back

SUBMERSIBLE PRESSURE GAUGE (SPG) + COMPASS

- See SPG details above
- This unique compass is designed for ease of reading and diver comfort. For example there are 2 viewing windows so the unit can be set up for left or right handed use, at an angle which is set as the natural extension of the arm. This means that divers do not have to twist their wrist into an unnatural shape to view compass readings
- The ratchet bezel is robust and can be rotated with ease even with thick neoprene gloves
- The numbers and directions on the bezel are large and very easy to read

SUBMERSIBLE PRESSURE GAUGE (SPG) + DEPTH GAUGE

- See SPG details above
- Dials have a long phosphorescent effect for better reading in poor visibility conditions
- There are 2 attachment areas integrated into the design for position flexibility
- This may be a compact design but the displays are vivid and clear - perfect for diving. For example the depth gauge spreads the first half of the scale and in total shows a range down to 230 feet
- Depth gauge has resettable max depth indicator
- Made with high shock-resistant windows, which is a must for divers

SUBMERSIBLE PRESSURE GAUGE (SPG) + DEPTH GAUGE + COMPASS

- See specifics on each individual instrument above
- All instruments give accurate, clear readings and are made from the best quality build materials. As such they offer perfect functionality and excellent robustness

An AQUA LUNG® Company

Part #	Description
AP0633IMP	Apeks SPG, Brass, 5000 psi
AP0634IMP	Console, SPG, Compass, 5000PSI
AP0635IMP	Console, 2 Gauge, 5000PSI, 230FT
AP0636IMP	Console, 3 Gauge, 5000PSI, 230FT, Compass
AP0633	Apeks SPG, Brass, 360 Bar
AP0634	CONSOLE, SPG, COMPASS, 360 Bar
AP0635	CONSOLE, 2 Guage, 360 BAR/70M
AP0636	CONSOLE, 3 Guage, 360 BAR/70M, COMPASS

Apeks SPG, Brass, 5000PSI

Console, SPG, Compass, 5000PSI

Console, 2 Gauge, 5000PSI, 230FT

Console, 3 Gauge, 5000PSI, 230FT, Compass

Backside view

SUUNTO INSTRUMENTS

SUUNTO COBRA 3

The Suunto Cobra3 is engineered for avid divers and features Suunto's all new electronic 3D compass and an easy-to-read matrix display with simplified four-button operation. The Cobra3's new electronic 3D compass offers divers the unique ability to tilt the compass up to 45 degrees in any direction without impairing the ability to read figures clearly and accurately.

With two-gas switching Nitrox, Air, and Gauge modes, this air-integrated computer delivers everything you need to maximize bottom time and make the most of every dive. Going beyond the numbers, the Suunto Cobra3 graphs your dive profile with an informative matrix display and its built-in dive simulator allows you to test potential dives without getting your fins wet.

ADVANCED FEATURES :

- Electronic 3D compass (user-adjustable time out)
- Matrix display
- Two-gas switching
- Optional Deep Stops
- Dive profile displayed graphically on the screen

OTHER MAIN FEATURES :

- Three operating modes (Air, Nitrox, Gauge)
- Complete decompression stop data
- Suunto Deep Stop RGBM
- 42 h logbook and profile memory*
- Lifetime history memory
- Profile memory bookmark
- Cylinder pressure and remaining air time data
- 300 bar (5000 psi) compatible
- USB compatible PC-interface (optional)
- Multi-step ascent rate indicator
- Personal adjustment
- Altitude adjustment 0-3000 m (0-10000 ft)
- Automatic safety stop countdown
- Extended decompression range (ceiling, floor)
- Built-in dive simulator
- Calendar clock
- Alarm clock
- Electroluminescent illumination (backlight)
- User-replaceable battery
- Depth display range 0-150 m (0-450 ft)
- Audible alarms
- Max. depth alarm
- Optional quick release high-pressure connection
- Display shield
- User-selectable metric or imperial units

Part #	Description
185370	Cobra 3 All Black
185360	Cobra 3 All Black with QD and USB

SUUNTO COBRA

- Complete decompression stop data
- 5000 psi compatible
- Built-in calendar/clock
- Push-button interface makes it extremely easy to use when choosing the different functions of the computer
- Comprehensive dive planning and simulation functions
- Electroluminescent illumination lights up automatically when an alarm is activated
- Extensive logbook and profile memory has a default sampling rate of 20 seconds providing 36-hours of memory which records all important dive data
- Bookmarks can be placed in the profile memory to highlight events during the dive
- Lifetime history memory storing the total number of dives, dive hours and maximum depth ever reached
- User selectable metric or imperial measurement units
- Ergonomically designed to fit easily into your hand
- Compact in size, yet has a large display with large digits
- The computer can be fitted with the SK-7 compass set in a new housing, especially designed for the Cobra
- Plus all the great features of the Vyper

Part #	Description
42142	Cobra
186850	Cobra with SK7 Compass
186860	Cobra Pro Pack (Includes Quick Disconnect, Compass) & SDM

www.aqualung.com/militaryandprofessional

SUUNTO VYPER

- Reduced Gradient Bubble Model (RGBM) algorithm for tracking both dissolved and free gas in the tissues of divers performing a large variety of maneuvers
- "SMART Button" feature prompts user, and gives easy access to the numerous functions of the Vyper; Easy-to-navigate menu system
- Light-weight and compact yet has a large display with large digits for easy reading
- User replaceable battery
- Automatic activation
- Built-in calendar/clock
- Dive simulator and plan mode simulator
- Adjustable electronic backlight: Set duration from 5 to 30 seconds; can be set to come on automatically during warnings
- Gauge mode for tech divers diving with exotic mixes
- Built-in safety stop feature
- Bar graphs for remaining dive time, oxygen loading and ascent rate
- Gauge mode shows depth, maximum depth, dive time, current time, temperature and ascent rate. Information is also recorded to the profile memory
- Top or back mount compass optional
- Includes USB Download Cable

NITROX FEATURES:

- 21-50% in 1% increments
- 1.2-1.6 PO2 in 0.1% increments
- Reverts to 21%

EXTENSIVE MEMORY:

- Logs last 36 hours
- Records at 20 second intervals with ability to set at
- 10, 30, or 60 second intervals with PC software
- History holds 999 dives and 999 hours
- PC download and superior PC-software

Part #	Description
195420	195420 Vyper 2 Gauge w/USB
195400	Vyper Wrist Unit w/USB

SUUNTO INSTRUMENTS

SUUNTO Vyper Air WRIST TOP COMPUTER

The Suunto Vyper Air includes optional wireless air integration and a technologically advanced electronic 3D compass. With wireless air integration, the Suunto Vyper Air allows divers to monitor tank pressure and air consumption from the computer on your wrist. The Vyper Air's new electronic 3D compass has user adjustable time out and offers divers the unique ability to tilt the compass up to 45 degrees in any direction without impairing the ability to read figures clearly and accurately.

The Vyper Air includes Air, Nitrox and Gauge modes and gas switching. For divers using enriched air, the Suunto Vyper Air can be programmed in one percent increments for nitrox mixtures between 21 and 100 percent oxygen.

Divers can also adjust oxygen partial pressure between 0.5 and 1.6 in 0.1 unit increments. The Suunto Vyper Air uses the Suunto Deep Stop RGBM algorithm that features continuous decompression and optimal ascent time. For deeper dives, the Deep Stop option adds further protection with a series of "deep stops" between a diver's maximum depth and ceiling.

The Suunto Vyper Air also boasts a built-in dive simulator, allowing divers to test potential dives before dropping into the water. The Vyper Air features large digits and a Matrix display that clearly shows critical dive information including dive profile graphs. After the dive, you can download the data to your PC and easily maintain a detailed logbook.

ADVANCED FEATURES :

- Electronic 3D compass (user-adjustable time out)
- Matrix display
- Two-gas switching
- Optional wireless transmitter providing cylinder pressure and remaining air data
- Available Deep Stop option
- Dive profile displayed graphically on the screen

OTHER MAIN FEATURES :

- Three operating modes (Air, Nitrox, Gauge)
- Complete decompression stop data
- Suunto Deep Stop RGBM
- 42 h logbook and profile memory*
- Lifetime history memory
- Profile memory bookmark
- USB compatible PC interface (optional)
- Multi step ascent rate indicator
- Personal adjustment
- Altitude adjustment 0-3000 m (0-10000 ft)
- Automatic safety stop countdown
- Extended decompression range (ceiling, floor)
- Built-in dive simulator
- Calendar clock
- Alarm clock
- Electroluminescent illumination (backlight)
- User-replaceable battery
- Depth display range 0-150 m (0-450 ft)
- Audible alarms
- Max. depth alarm
- Display shield and protective boot

** Default factory setting. Can go up to 240 hours.*

Part #	Description
185400	Vyper Air All Black, Wrist with Transmitter & USB
185390	Vyper Air All Black, Wrist with USB
190980	Wireless Tank Pressure Transmitter LED

www.aqualung.com/militaryandprofessional

SUUNTO D9tx WRIST TOP COMPUTER

From its titanium frame to sapphire glass, everything about the Suunto D9txis designed to impress. We've taken the Suunto D9 and made it trimix – as well as adding a tilt-compensated 3D digital compass. It's compact enough to wear to the boardroom, but inside is a highly advanced all-in-one dive computer, with the same technical RGBM as the award-winning Suunto HelO2. You'll have all your dive-critical information on one unique and stylish device.

- Full continuous decompressionalgorithm (Suunto Technical RGBM)
- Gas-switching between up to 8 gases
- Trimix support including helium and oxygen
- Four modes: air, mixed gas, gauge, and freedive (NEW)
- Integrated tilt-compensated 3D digital compass
- Optional wireless air integration
- Titanium bracelet option
- Built-in dive planner
- Detailed graphical logs and dive data on your computer using Suunto DM4 with Movescount software, and planning of dives and gases with new Suunto Dive Planner.

D9tx Elastomer Strap and LED Transmitter

D9tx Titanium Bracelet

Part #	Description
16915	D9tx Titanium Bracelet with USB
16914	D9tx Titanium Bracelet with Transmitter & USB
182040	D9tx Titanium Bracelet Kit
16916	D9tx Elastomer Strap with USB
16826	D9tx Elastomer Strap with Transmitter & USB

SUUNTO INSTRUMENTS

SUUNTO D6i WRIST TOP COMPUTER

NEW '13 FOR 2013

The Suunto D6i is the wristop dive computers of choice for those who take their diving seriously. With a new tilt-compensated 3D digital compass and wireless air integration, it's an essential tool when other people rely on your diving skills. The D6i is trusted by professional divers and with its fashionable looks it makes a stylish addition to your everyday wardrobe as well!

- Optional wireless air integration – current cylinder pressure, remaining air time
- Integrated tilt-compensated 3D digital compass
- Full continuous decompression algorithm
- Gas-switching capability for up to three gasses
- Four dive modes: air, nitrox, free, gauge
- Steel bracelet option
- Built-in dive planner
- Detailed graphical logs and dive data on your computer usingSuunto DM4 with Movescount software

All Black Steel Bracelet

Elastomer Strap

Steel Bracelet

All Black Elastomer Strap

White Silicone Strap

Part #	Description
194770	D6i All Black Steel w/Trans & USB
194780	D6i All Black Steel w/ USB
194800	D6i All Black Steel Bracelet Kit
187430	D6i with White Silicone Strap with transmitter and USB
187440	D6i with White Silicone Strap and USB
185420	D6I All Black with Elastomer Strap with transmitter and USB
185430	D6i All Black with Elastomer Strap and USB
183990	D6i with Steel Bracelet with transmitter and USB
184000	D6i with Steel Bracelet and USB
13525	D6/D6i Steel Bracelet Kit
184010	D6i with Elastomer Strap with transmitter and USB
184020	D6i with Elastomer Strap and USB

SUUNTO Compasses

Suunto has been manufacturing compasses since the 1930's and is the world's foremost authority on compass design and manufacturing. The SK-7 has set the standard for dive compasses. The superior SK-7 features an exceptional tilt potential of +/- 30°, which is 2-3 times larger than in conventional diving compasses, easy-to-read numerals on a phosphorescent compass card and a large side-reading window. The firm-grip bezel with a ratchet at every fifth degree is specially designed to prevent sand and dirt contamination, thus allowing smooth turning in all conditions.

SK-7

- Tilt potential of +/- 30°
- Phosphorescent compass card
- Wrist, console or retractor mounted
- Large side-reading window
- Available in two zones

NEW, WIDER GEOGRAPHIC AREAS COVERED (REFER TO SK-7 MAP):

- Northern Hemisphere (NH)
- Southern Hemisphere (SH)

SK-7 Dive Compass
Front



SK-7 Dive Compass
without Strap

SK7, End Mount

SK7, Back Mount

SK7, Retractable

Part #	Description
186570	SK7 Wrist Compass - NH
186770	SK7 Top Mount - NH
186730	SK7 Back Mount - NH
41110	SK7, Retractable - NH
413203	Retractor, SK7, w/o compass Requires compass 186570
745930	Retractor for Wrist Dive Computers
413210	Retractor plate to add compass to 745930 Requires compass 186570

SUUNTO Accessories

Part #	Description
	PC INTERFACE
11350	PC Interface, USB Cable, Large face computers (non-D-series wrist tops)
182140	D-Series USB Interface
	GENERAL ACCESSORIES
42144	Quick Disconnect HP
	BATTERY KITS
413194	Battery Kit, Vyper / Cobra / Gekko / Vytec
5983	Battery Kit, Mosquito and D3
413100	Battery Kit, Transmitter
	DISPLAY SHIELDS
413204	Display Shield, Cobra
13145	Display Shield, Cobra2/ Cobra3
413202	Display Shield, Vytec / Vyper / Gekko
131260	Display Shield, Vyper2 / Vyper Air

SUUNTO INSTRUMENTS

SUUNTO D-Series Accessories

D – SERIES USB INTERFACE CABLE

Connect to the new Dive Manager 4 (DM4) and Movescount, Suunto's online sports community, with the USB interface cable. This new interface cable, p/n 182140, has been redesigned for faster data transfer. It is not only compatible with the new D–series wrist top computers, D9tx, D6i & D4i but is also backwards compatible with the previous D-series wrist tops.

PLEASE NOTE:

- The previous D-series USB Interface Cable, part number 12513 is not compatible with the new D-series, D9tx, D6i & D4i
- All D- series models now come with the USB interface cable.

Part #	Description
182140	D-Series USB Interface Cable

SUUNTO HelO2

Wrist Top Computer

Suunto HelO2 is the first dive computer from Suunto with full mixed gas capability. It is rated to 120 m/393 ft and incorporates the new Suunto Technical RGBM algorithm. Based on the RGBM algorithm developed by highly recognized decompression scientist, Dr. Bruce Wienke, the Suunto Technical RGMB algorithm extends decompression flexibility into the world of technical diving.

The algorithm introduces helium tissue groups in the decompression model to enable trimix diving, as well as diving on air and nitrox. It allows eight gases to be programmed as primary or secondary gases, and enables oxygen content of 8-100%, and helium content of 0-92%. For the technical diver, the algorithm provides increased flexibility and reduces tasks while decompressing by eliminating the need to constantly monitor a slate and watch.

SUUNTO Technical Dive Planner



The Suunto technical dive planner is an easy-to-use graphical planner for planning dive profiles, gases, and back-up plans. The intuitive interface enables the diver to try different variations of depth, time, gases and partial pressures without having to continously recalculate. Suunto technical dive planner calculates all changes instantly and presents the results on on easy-to-read graph. When ready, the diver can simply export the planned gases and other dive-critical information from PC to dive computer with the included USB cable – removing the need to copy all the calculations onto a slate. Divers are also provided with gas mixing instructions for their planned dive, which they can print out and give to a dive shop if not mixing themselves.

The Suunto technical dive planner enables divers to plan dive series based on real dive profiles – not planned dive profiles – making the plans for later dives in the series more accurate and realistic. The planner also allows divers to compare the planned dive and the and actual dive, helping them pinpointfuture areas of improvement in both planning and diving.

Advanced Features:

- 8 gas switching
- Suunto technical RGBM algorithm (including helium tissues)
- Deep stops
- Matrix display
- Dive profile displayed graphically on the screen
- Seamless collaboration with dive planner
- Expanded personal adjustment

Other main features:

- Two operating modes (Mixed gas, Gauge)
- Complete decompression data
- Suunto Deep Stop RGBM
- 42h logbook and profile memory
- Lifetime history memory
- Profile memory bookmark
- Wireless tank pressure
- 300 bar compatible
- PC-interface
- Multi step ascent rate indicator
- Altitude adjustment 0-3000m (0-10000ft)
- Automatic safety stop countdown
- Extended decompression range (ceiling, floor)
- Calendar clock
- Electroluminescent illumination (back light)
- User-replaceable battery
- Depth display range 0-150m (0-450ft)
- Audible alarms
- Max. depth alarm
- Display shield
- User-selectable metric or imperial units

Part #	Description
145060	HelO2 with USB
150030	HelO2 with Transmitter & USB

LIGHTS

AQUA LUNG® ALU SOLO

The Alu Solo is the most powerful light of its class. It is powerful, compact and offers easy one-hand use.

- Light source:
  1 LED Cree XL-M 700mA /260 lumen / 8000 lux
- Beam angle is 20° / Focal distance is 5m
- Torch body: anodized aluminium alloy
- Powered by three C-cells
- Switch: Mechanical, one hand operated
- Weight in water: 316g (11oz.)
- Maximum operative depth: 300m (1000 ft)

Part #	Description
T563800	Alu Solo Light

AQUA LUNG® ALU TRIO

The Alu Trio, besides being very powerful, has a unique, flattened, elliptical shape so it fits nicely in a BC pocket

- Light source:
  3 LED Cree XL-M 700mA
  @ 260 lumen ea. = 780 lumen / 28,000 lux
- Beam angle is 15° / Focal distance is 5m
- Torch body: anodized aluminium alloy
- Powered by: 8 AA-cells or can be used with four AA-cells
- Switch:self-locking, magnetic sliding switch, one hand operated
- Weight in water: 166g (6oz.)
- Maximum operative depth: 300m (1000 ft)

Part #	Description
T563650	Alu Trio Light

AQUA LUNG® TEKNIKA Mask

RECOMMENDED PUBLIC SAFETY PRODUCT

- Solid, robust mask with technical divers in mind
- Outer frame made of shock absorbent techno-polymer
- The backing rear support is a one-piece molded frame
- Assembled with stainless steel AISI 304 nuts and bolts
- Cardanic joint buckles (double joint buckles) rotate both up-and-down and in-and-out
- Quick counterposed push button activation is easy to use even when wearing gloves
- Wide headpiece on silicone strap provides stability and comfort
- Due to its particular structure, the mask may be folded to fit into BC pockets

Part #	Description
505475	Black/Black Silicone

AQUA LUNG® MICROMASK

RECOMMENDED PUBLIC SAFETY PRODUCT

The Micromask is a revolution in mask design. Its innovative, patented structure makes it possible for the lenses to fit in the ocular orbit. Never before have lenses been so close to the eyes. This not only results in an amazingly wide peripheral view but an extremely low internal volume.

- Ideal secondary mask for emergency use - stores easily in BCD pockets
- Extra low volume makes it very easy to clear
- Features patented Cardanic Joint Buckles that rotate both up-and-down and in-and-out. This provides maximum adaptability and comfort to any head shape
- The quick counterposed push button activation make the buckle easy to use even while wearing gloves.

Cardanic Buckle

Part #	Description
505492	Black
505497	White Arctic
505495	Black/Black Silicone

AQUA LUNG® VENTURA+

The Ventura+ mask, a timeless classic, has been aesthetically revisited and enriched with patented Cardanic Joint buckles. Its single lens design provides a wide field of view.

- The frame has been redesigned with a fresh look that incorporates multiple colors
- The patented Cardanic Joint buckles rotate up and down as well as in and out to provide maximum adaptability to any head shape
- The quick, counterposed push button activation makes it easy to release the strap even with gloves on.
- The silicone strap has an enlarged headpiece for comfort and to prevent strap migration
- Single lens is 4mm thick and tempered to ANSI standards
- Weight = 210 grams (7 oz)
- Available in clear or black LSR silicone

Part #	Description
503849	Black Silicone, Black

MASKS

AQUA LUNG® MAUI

- Low-volume, single-window design
- Black silicone skirt
- Popular mask for military and professional divers

Part #	Description
503350	Black Silicone

AQUA LUNG® WRAPAROUND

- Classic three-window design
- Available ONLY in black silicone

Part #	Description
502620	Black Silicone

AQUA LUNG® PACIFICA

- Classic single-window styling
- Equipped with a purge valve
- Available ONLY in black silicone

Part #	Description
507810	Black Silicone w/ Black frame & buckles

AQUA LUNG® ATLANTIS

- Classic, large volume, oval styling
- Popular with photographers
- Excellent field of vision
- Available ONLY in black silicone

Part #	Description
507710	Black Silicone w/ Black frame & buckles

AQUA LUNG® Masks, Fins, Snorkels Replacement Parts

Part #	Description
	MICRO MASK
502537	Mask strap, clear, w/ retainers
502538	Mask strap, black, w/ retainers
505565	Cardanic buckles (pair)
	MAUI, WRAPAROUND, PACIFICA, ATLANTIS
507709	Mask strap, black silicone
502608	Metal Buckle Kit, Wraparound, Pair of 2
	MISC.
734407	Snorkel Keeper, Impulse I, II or III (current)
734332	Snorkel Keeper, Separating
622680	Fin Strap/Buckle, Aqua Lung

AQUA LUNG IMPULSE 3

RECOMMENDED PUBLIC SAFETY PRODUCT

Part #	Desription
734410	Flex, Silver
734415	Non-Flex, Silver

AQUA LUNG ZEPHYR Snorkel

- Splash guard with purge channel on top of snorkel
- Elliptical purge valve for clearing reservoir at the bottom
- Easy, quick-adjust clip for mask attachment
- Integrated corrugation zone for flexibility
- Rotating mouthpiece assembly
- Comfo-bite hypoallergenic mouthpiece

Part #	Desription
180710	Black/Black

AQUA LUNG Military Snorkels

- Simple neoprene rubber design
- Option of J Tube or Flex Tube
- Secure keeper for mask strap

RECOMMENDED PUBLIC SAFETY PRODUCT

Part #	Desription
736920	Military Snorkel, Black Neoprene
736930	Military Snorkel, Flex, Black Neoprene

FINS

AQUA LUNG ROCKET II Fins

- Greatly improved design – these are NOT the older traditional Rocket fins
- "Big Foot" pocket fits over heavyweight dry suit boots
- Flexible material construction is neutrally buoyant
- Large foot pocket has drain holes and floor ribs to reduce suction
- Molded in reinforced grommet type holes for hooking up fins
- Fin strap has large rubber loop for pulling on straps
- Heavy duty stainless steel buckles with bolt and locknut for easy field repair
- Overall length: 22in / 56cm approx, Blade width: 9.5in / 24cm

Rocket II

Part #	Description	Size
621130	Rocket II, Flex, Metal buckle Regular (9-11)	Large
621135	Rocket II, Flex, Metal buckle Super (12+)	Super

AQUA LUNG ROCKET Fins

- Traditional all-rubber design
- Heavy duty construction
- One of the first vented rubber fins in North America



Rocket

Part #	Description	Size
621110	Rocket, Quick Release Large (9-11)	Large
621100	Rocket, Original Metal Buckle	
621610	621610 Rocket, Quick Release Super (12+)	Super

AQUA LUNG SHREDDER SAR

- Special fin for water rescue, SAR swimming, and Helo OPS.
- Compact and convenient for short distance travel
- Ultra-light materials for optimum power and thrust
- Provides exceptional maneuverability
- One size - designed to fit over large boots
- Adjustable buckles with padded heel and leash
- Overall length: 16.5in / 42cm, Blade width: 10in / 25cm

Part #	Desription	Size
621150	Shredder SAR, Yellow	Large
621155	Shredder SAR, Black	Large

AQUA LUNG X Shot

The X Shot fins are high-performance fins that incorporate new technologies and the latest materials. They take the best concepts of the SlingShot and HotShot fins and improve upon them.

- The Power Zone, located in front of the foot pocket, where the power bands used to be, continues to evolve. What were once powerbands, are no integrated "V Boosters", providing evenmorepower with less effort.
- A new spring strap offers a soft TPR heel pad along with Aqua Lung's own proprietary buckles.
- The foot pocket is equipped with the "Power Transmission Zone". This anchors the foot preventing unnecessary stretching of the foot pocket on the power stroke resulting in maximum energy transmission.
- The blade contains a high performance elastomer resulting in high efficiency
- An elastic blade insert creates a "spoon effect" that pushes more water with each down stroke adding to efficiency.
- A customized inner sole provides a grip effect. This prevents wasting power from the boot moving laterally inside.

AVAILABLE '13 IN APRIL

Spring Strap

Power Zone

Part #	Description	Size
62930	Black	Small
62931	Black	Regular
62932	Black	Large / X-large

FIN ACCESSORIES & REPLACEMENT PARTS

AQUA LUNG® Replacement Parts

Part #	Description
621502	Strap, Rocket Fin (1), Old Model
622680	Strap / Buckle Assy, Quick Release (1 of each strap and buckle)
621131	Metal Buckle Kit for Rocket old & Rocket II (pair of 2 for 1 fin)
621132	Fin Strap, Rocket II
621151	Shredder SAR Strap/Buckle Assy. (1of each strap and buckle)

AQUA LUNG® Ankle Weights

Part #	Description	Color	Weight	Weight Per Pair
710118	Weight, Ankle	Black	1.0 lb.	2 lb.
710119	Weight, Ankle	Black	1.5 lb.	3 lb.
710120	Weight, Ankle	Black	2.0 lb.	4 lb.
710121	Weight, Ankle	Black	3.0 lb.	6 lb.

For complete product details -
see the Whites Public Safety & Commercial North American Buyers Guide 2013

HAZMAT PS DRYSUIT
(PUBLIC SAFETY HAZMAT DIVER)

- Chemical resistant polyurethane inside and out
- Interior and exterior tape welded seams
- Tear and puncture resistant nylon core
- Comfort boots with 7mm liner
- Permanently attached dry glove rings
- Replaceable wrist seals
- Contaminated water dual exhaust valve
- Standard inlet inflation valve
- Attached Polytex hood and neck seal
- Easy to clean and decontaminate

SIZES
XS - S - SK - M - MT - L - LT - LK - XL - XLK - 2XL - 3XL - 4XL

An AQUA LUNG Company

KODIAK 360 DRYSUIT
(Dive or Surface)

- Patented Captive Suspension Panel around waist & knees for flexibility
- Tough Quadflex nylon
- 2 pocket Matrix Base Plates & 1 Compak Pocket
- Polytex neck seal and bell shaped wrist seals
- Air control knee pads
- Supplied with Multi-Laminate Shell Socks that match EVO 3 Boots
- S.A.R. Version (shown) with Reflective Armband ("S.A.R." or "RESCUE")
- Law Enforcement (L.E.) version color: black with no reflective piping
- Dive and Surface variants available

SIZES
S - SK - M - MK - L - LK - XL - XLK - 2XL - 3XL

An AQUA LUNG Company

WHITES DRY SUITS

For complete product details - see the Whites Public Safety & Commercial North American Buyers Guide 2013

FUSION DRYSUIT
(Law Enforcement & SAR Versions)

- Unmatched flexibility & mobility
- Compact, lightweight, and streamlined design
- Patented Fusion Dry Core Technology
- Oversized inner dry core with external tactical designed skin
- Easy self-entry and self exit
- Exterior skin of 1mm super stretch neoprene, reinforced in high wear areas
- Removable 2mm neoprene inserts at elbows/knees for durability and comfort
- Supplied with Multi-Laminate Shell Socks that match Fusionor EVO 3 Boots
- Pockets Available
- S.A.R. Version with Reflective Piping and Armband ("S.A.R." or "RESCUE")
- Law Enforcement (L.E.-shown) version color: black with no reflective piping
- Dive and Surface variants available

SIZES
2XS/XS - S/M - L/XL - 2XL/3XL - 4XL+

An AQUA LUNG Company

THERMAL FUSION UNDERGARMENT

- Thermal Fusion is recommended for use with all dry suits
- Delivers extreme mobility and superior warmth
- Integrated pockets and easy access comfort zip
- Dual-layer: outer stretch skin encapsulates inner thermal (fleece) core
- ATS (Air Transfer System) for effective transport of air throughout garment
- Hi-Flo Mesh Panels located at inflate/exhaust valve locations increase air-flow, padding and insulation
- Thermal performance independently lab tested
- Thumb loops and foot stirrups for easy donning
- Machine washable.

SIZES
2XS/XS - S/M - L/XL - 2XL/3XL - 4XL+

An AQUA LUNG Company

AQUA LUNG ISOFLEX 2 Piece Military Wet Suit

RECOMMENDED PUBLIC SAFETY PRODUCT

- All black color with black logo graphics
- Back zip 5mm jacket with 6.5mm sleeves
- Chest zip on 7mm Farmer John
- 7mm on Framer torso and legs
- 6.0mm flex panels behind knees on Farmer John
- 6.0mm inside arms and on shoulders
- Leg gasket locks with adjustable ankles
- Knee pads

Front Back

Part #	Description	Color	UPC
4040772	Isoflex X2, 7mm Suit, J/J	Black	MD
4040773	Isoflex X2, 7mm Suit, J/J	Black	ML
4040774	Isoflex X2, 7mm Suit, J/J	Black	LG
4040775	Isoflex X2, 7mm Suit, J/J	Black	XL
4040776	Isoflex X2, 7mm Suit, J/J	Black	XXL

AQUA LUNG 7mm JUMP Military Wet Suit

RECOMMENDED PUBLIC SAFETY PRODUCT

- All black color with black logo graphics
- 7mm 4-way high stretch throughout
- Skin-in neck seal
- Glued and blind stitched seams
- Spine and kidney pads
- Pre-bent anatomic legs and arms
- Durable and stretchy knee pads

Part #	Description	Color	UPC
4040752	Aquaflex Jump, 7mm Suit	Black	MD
4040753	Aquaflex Jump, 7mm Suit	Black	ML
4040754	Aquaflex Jump, 7mm Suit	Black	LG
4040755	Aquaflex Jump, 7mm Suit	Black	XL
4040756	Aquaflex Jump, 7mm Suit	Black	XXL

PUBLIC SAFETY WETUISTS

AQUA LUNG PUBLIC SAFETY Wet Suit

RECOMMENDED PUBLIC SAFETY PRODUCT

- 5/3mm Red with Black Trim
- Skin-in neck seal provides comfortable stretch and seals out water. Closeswith hook n loop.
- Heavy duty non-corrosive metal zipper for durability
- Glued and blindstitched seams
- Three way zipper seal minimizes water entry
- Spine pad is integrated as part of three way zipper seal
- Kidney pad for additional insulation in this high heat loss area
- Pre-bent anatomic legs and arms
- The knee pads are durable and stretchy for comfort
- Ultra stretch wrist and ankles

Part #	Description	Color	Size
4040872	AQUAFLEX JUMP 5/3MM	RED/BLK	MD
4040873	AQUAFLEX JUMP 5/3MM	RED/BLK	ML
4040874	AQUAFLEX JUMP 5/3MM	RED/BLK	LG
4040875	AQUAFLEX JUMP 5/3MM	RED/BLK	XL
4040876	AQUAFLEX JUMP 5/3MM	RED/BLK	XXL

AQUA LUNG SolAfx 8/7 mm

Aqua Lung's advanced, coldwater, hood attached, across-the-chest-zip wetsuit continues to evolve and get better and better. This newest revision brings you all of the same great features that you have grown accustomed to plus:

- Sharp, new graphics!
- Red and pink are gone. Colors are now neutral (black/charcoal/white) so they will match with any product.
- New, upgraded zipper. Now it's silver.
- Functional graphics on shoulders
  - o Prevent BC slippage
  - o Protect shoulders from wear
- Central seam removed on women's suit
- Inside material upgraded again – even softer
- Pattern adjustments for even better fit!

PLUS FEATURES THAT YOU HAVE ALREADY COME TO KNOW:

- Torso is made of 8mm, four-way stretch Aqua Flex neoprene while the legs and sleeves are made of 7mm Aqua Flex. These are the thicknesses of the base neoprene before the nylon gets added.
- The attached hood not only prevents cold water from entering the neck, it also features "Vent G2" technology that allows trapped regulator exhaust bubbles to exit while keeping cold water out.
- The "Plasmaloc" zipper has tighter tolerances and a unique integrated tooth design that make the zipper more water resistant than most competitor's models.
- A water dam covers the neck and shoulders to add another level of thermal protection against any water ingress through the zipper.
- "Skin-in" gasket seals in the forearms and calves minimize water entry through the sleeves and legs.

Part #	Description	Color	Size
4040780	8mm, Men's	Black/Charcoal	XS
4040781	8mm, Men's	Black/Charcoal	SM
4040782	8mm, Men's	Black/Charcoal	MD
4040783	8mm, Men's	Black/Charcoal	ML
4040783L	8mm, Men's	Black/Charcoal	MLL
4040784	8mm, Men's	Black/Charcoal	LG
4040784L	8mm, Men's	Black/Charcoal	LL
4040784S	8mm, Men's	Black/Charcoal	LS
4040785	8mm, Men's	Black/Charcoal	XL
4040785L	8mm, Men's	Black/Charcoal	XLL
4040785S	8mm, Men's	Black/Charcoal	XLS
4040786	8mm, Men's	Black/Charcoal	XXL
4040787	8mm, Men's	Black/Charcoal	3XL
4040790	8mm, Women's	Black/Charcoal	4
4040791	8mm, Women's	Black/Charcoal	6
4040792	8mm, Women's	Black/Charcoal	8
4040792L	8mm, Women's	Black/Charcoal	8L
4040793	8mm, Women's	Black/Charcoal	10
4040793L	8mm, Women's	Black/Charcoal	10L
4040794	8mm, Women's	Black/Charcoal	12
4040794S	8mm, Women's	Black/Charcoal	12S
4040795	8mm, Women's	Black/Charcoal	14
4040795S	8mm, Women's	Black/Charcoal	14S

WETSUITS

AQUA LUNG AquaFlex 7mm Jumpsuit

The AquaFlex Jumpsuit was developed for bodies in motion. The suit is built with AquaFlex neoprene, the greatest wetsuit innovation to come along in many years. AquaFlex has three times the stretch of standard neoprene. What does this mean for you? It means a wetsuit that is easy to get on and take off. It means a wetsuit that not only conforms to your body shape but allows you to move and stretch with minimal restriction. AquaFlex not only boasts great stretching ability but an excellent thermal insulation capacity to keep you warm too.

- 7mm AquaFlex 4-way high stretch neoprene used throughout. This is the thickness of the base neoprene before the nylon layers get added.
- Outer fabric is a tighter weave making it more hook and loop resistant
- Inner fabric is soft and easy to don
- Non-petroleum based neoprene raw material is more environmentally friendly
- Skin-in neck seal provides comfortable stretch and seals out water. Closeswith hook n loop.
- Heavy duty non-corrosive metal zipper for durability
- Glued and blindstitched seams
- Three way zipper seal minimizes water entry
- Spine pad is integrated as part of three way zipper seal
- Kidney pad for additional insulation in this high heat loss area
- Pre-bent anatomic legs and arms
- The knee pads are durable and stretchy for comfort
- Ultra stretch wrist and ankles

Men's Colors:
Black / Charcoal

Men's Sizes:
XS - SM- MD - ML- MLL- LG - LL- LS - XL- XLL- XLS- XXL- 3XL

Part #	Description	Color	Size
4040520	7mm Men's	Black / Charcoal	XS
4040521	7mm Men's	Black / Charcoal	SM
4040522	7mm Men's	Black / Charcoal	MD
4040523	7mm Men's	Black / Charcoal	ML
4040523L	7mm Men's	Black / Charcoal	MLL
4040524	7mm Men's	Black / Charcoal	LG
4040524L	7mm Men's	Black / Charcoal	LL
4040524S	7mm Men's	Black / Charcoal	LS
4040525	7mm Men's	Black / Charcoal	XL
4040525L	7mm Men's	Black / Charcoal	XLL
4040525S	7mm Men's	Black / Charcoal	XLS
4040526	7mm Men's	Black / Charcoal	XXL
4040527	7mm Men's	Black / Charcoal	3XL

www.aqualung.com/militaryandprofessional

AQUA LUNG AquaFlex 5mm Jumpsuit

Whether 5mm neoprene is for seasonal needs or year-round needs, this will quickly become your favorite suit. What's not to like? The AquaFlex 5mm jumpsuit is comfortable, warm and looks good too! From its functional kneepads to its sharp graphics, attention to detail is evident throughout.

- 5mm AquaFlex 4-way high stretch neoprene used throughout. This is the thickness of the base neoprene before the nylon layers get added.
- Outer fabric is a tighter weave making it more hook and loop resistant
- Inner fabric is soft and easy to don
- Non-petroleum based neoprene raw material is more environmentally friendly
- Skin-in neck seal provides comfortable stretch and seals out water. Closes with hook n loop.
- Heavy duty non-corrosive metal zipper for durability
- Glued and blindstitched seams
- Three way zipper seal minimizes water entry
- Spine pad is integrated as part of three way zipper seal
- Kidney pad for additional insulation in this high heat loss area
- Pre-bent anatomic legs and arms
- The knee pads are durable and stretchy for comfort
- Ultra stretch wrist and ankles

Men's Colors:
Black / Charcoal

Men's Sizes:
XS - SM - MD - ML - MLL - LG - LL - LS - XL - XLL - XLS - XXL - 3XL

Part #	Description	Color	Size
4040540	5mm, Men's	Black / Charcoal	XS
4040541	5mm, Men's	Black / Charcoal	SM
4040542	5mm, Men's	Black / Charcoal	MD
4040543	5mm, Men's	Black / Charcoal	ML
4040523L	5mm, Men's	Black / Charcoal	MLL
4040543L	5mm, Men's	Black / Charcoal	LG
4040544	5mm, Men's	Black / Charcoal	LL
4040544S	5mm, Men's	Black / Charcoal	LS
4040545	5mm, Men's	Black / Charcoal	XL
4040545L	5mm, Men's	Black / Charcoal	XLL
4040545S	5mm, Men's	Black / Charcoal	XLS
4040546	5mm, Men's	Black / Charcoal	XXL
4040547	5mm, Men's	Black / Charcoal	3XL

WETSUITS

AQUA LUNG® AquaFlex 3mm Jumpsuit

The high quality AquaFlex 3mm jumpsuit is one of the warmest and most durable on the market today. Not only does it boast soft and stretchy AquaFlex material, it has now been upgraded to glued and blind stitched seams as well. You love to dive, you deserve a comfortable warm suit.

- 3mm Aqua Flex 4-way high stretch neoprene used throughout. This is the thickness of the base neoprene before the nylon layers get added.
- Outer fabric is a tighter weave making it more hook and loop resistant
- Inner fabric is soft and easy to don
- Non-petroleum based neoprene raw material is more environmentally friendly
- Skin-in neck seal provides comfortable stretch and seals out water. Closes with hook n loop
- Heavy duty non-corrosive metal zipper for durability
- Glued and blindstitched seams
- Back zipper water shield
- Pre-Bent Anatomic legs
- The knee pads are durable and stretchy for comfort
- Ultra stretch wrist and ankles

Men's Colors:
Black / Navy / Charcoal and Black / Charcoal

Men's Sizes:
XS - SM- MD - ML- MLL- LG - LL- LS - XL- XLL- XLS- XXL- 3XL

Part #	Description	Color	Size
4040690	3mm, Men's	Black / Charcoal	XS
4040691	3mm, Men's	Black / Charcoal	SM
4040692	3mm, Men's	Black / Charcoal	MD
4040693	3mm, Men's	Black / Charcoal	ML
4040693L	3mm, Men's	Black / Charcoal	MLL
4040694	3mm, Men's	Black / Charcoal	LG
4040694L	3mm, Men's	Black / Charcoal	LL
4040694S	3mm, Men's	Black / Charcoal	LS
4040695	3mm, Men's	Black / Charcoal	XL
4040695L	3mm, Men's	Black / Charcoal	XLL
4040695S	3mm, Men's	Black / Charcoal	XLS
4040696	3mm, Men's	Black / Charcoal	XXL
4040697	3mm, Men's	Black / Charcoal	3XL
4040700	3mm, Men's	Black / Navy	XS
4040701	3mm, Men's	Black / Navy	SM
4040702	3mm, Men's	Black / Navy	MD
4040703	3mm, Men's	Black / Navy	ML
4040703L	3mm, Men's	Black / Navy	MLL
4040704	3mm, Men's	Black / Navy	LG
4040704L	3mm, Men's	Black / Navy	LL
4040704S	3mm, Men's	Black / Navy	LS
4040705	3mm, Men's	Black / Navy	XL
4040705L	3mm, Men's	Black / Navy	XLL
4040705S	3mm, Men's	Black / Navy	XLS
4040706	3mm, Men's	Black / Navy	XXL
4040707	3mm, Men's	Black / Navy	3XL

AQUA LUNG Wetsuit Size Chart

MEN'S SIZE

SolAfx and AquaFlex

	HEIGHT		WEIGHT	
SIZE	ft. in.	cm	Lbs	kg
XS	5'4-5'7	163-170	120-135	55-61
S	5'6-5'9	168-175	130-145	59-66
M	5'8-5'11	173-180	150-170	68-77
ML	5'9-6'	175-189	165-185	75-84
MLL	5'11-6'2	180-188	170-190	77-86
LS	5'6-5'9	168-175	175-195	80-89
L	5'10-6'1	178-185	180-200	82-91
LL	6'1-6'4	185-193	185-205	84-93
XLS	5'7-5'10	170-178	190-210	86-95
XL	5'11-6'2	180-188	195-220	89-100
XLL	6'2-6'5	188-196	200-225	91-102
XXL	6'-6'3	189-191	210-235	95-107
3XL	6'1-6'4	185-193	225-250	102-114

HydroFlex

	HEIGHT		WEIGHT	
SIZE	ft. in.	cm	Lbs	kg
XS	5'5-5'7	163-170	125-135	55-61
S	5'7-5'9	168-175	135-150	59-66
M	5'9-5'11	173-180	150-170	68-77
ML	5'9.5-5'10.5	175-189	155-175	75-84
L	6'2-6'4	178-185	175-195	82-91
XL	6'3-6'5	180-188	190-215	89-100
XXL	6'0-6'2	189-191	210-230	95-107
3XL	6'1-6'3	185-193	230-250	102-114

Rental Fullsuits / 6.5mm Longsleeve Shorty & Farmer John

	WEIGHT	HEIGHT (C)	WAIST (B)	CHEST (A)
SIZE	Lbs	ft. in.	in.	in.
SM	140 - 155	5'6" - 5'8"	30" - 31"	35" - 36"
MD	150 - 165	5'8" - 5'10"	31" - 33"	36" - 38"
ML	160 - 180	5'9" - 6'0"	33" - 35"	38" - 40"
LG	175 - 195	5'11" - 6'1"	35" - 37"	40" - 42"
XL	190 - 220	6'0" - 6'3"	36" - 39"	42" - 44"
2XL	210 - 230	6'1" - 6'4"	38" - 42"	43" - 46"
3XL	220 - 240	6'2" - 6'5"	41" - 44"	45" - 48"

WOMEN'S SIZE

SolAfx and AquaFlex Size Chart

	HEIGHT		WEIGHT	
SIZE	ft. in.	cm	Lbs	kg
4	5'1-5'4	155-163	100-120	46-55
6	5'3-5'6	160-168	115-135	52-61
8	5'5-5'8	165-173	130-150	59-68
8L	5'6-5'9	168-175	135-155	61-71
10	5'6-5'9	168-175	145-165	66-75
10L	5'8-6'	173-189	150-170	68-77
12S	5'3-5'7	160-170	150-170	68-77
12	5'6-5'10	168-178	160-180	73-82
14S	5'4-5'8	163-173	165-195	75-89
14	5'8-6'	173-183	175-205	80-93

HydroFlex

	HEIGHT		WEIGHT	
SIZE	ft. in.	cm	Lbs	kg
4	5'4-5'6	155-163	110	46-55
6	5'5-5'7	160-168	115	52-61
8	5'6-5'8	165-173	120	59-68
10	5'7-5'9	168-175	130	66-75
12	5'6-5'8	168-178	135	73-82
14	5'7-5'9	173-183	145	80-93

Rental Fullsuits / 6.5mm Longsleeve Shorty & Farmer Jane

SIZE	WEIGHT	HEIGHT (C)	WAIST (B)	CHEST (A)
SIZE	Lbs	ft. in.	in.	in.
5/6	105 - 115	5'2" - 5'4"	23" - 25"	30" - 32"
7/8	115 - 125	5'4" - 5'6"	25" - 27"	32" - 34"
9/10	125 - 135	5'5" - 5'7"	27" - 29"	34" - 36"
11/12	135 - 145	5'6" - 5'8"	29" - 31"	36" - 38"
13/14	145 - 155	5'8" - 5'10"	31" - 33"	38" - 40"
15/16	155 - 165	5'9" - 5'11"	34" - 36"	40" - 44"

HOODED VESTS

AQUA LUNG® 6/5/3mm Hooded Vest

The 6/5/3mm hooded vest is a popular accessory to provide additional warmth to any of our jumpsuits. The different thicknesses have been strategically placed for easy donning and doffing as well as properly insulating high heat-loss areas.

- The hood is 6mm thick with a 4mm skin-in face seal which can be easily trimmed
- The vest has 5mm front and back panels with 3mm sides for ease of donning and doffing
- A bubble vent built into the hood allows trapped exhaust bubbles from the regulator to escape Seams are glued and blindstitched

Men's Colors:
Black / Charcoal

Men's Sizes:
SM - MD - ML - LG - XL- XXL- 3XL

Part #	Description	Color	Size
40581	6/5/3mm, Men's	Black	SM
40582	6/5/3mm, Men's	Black	MD
40583	6/5/3mm, Men's	Black	ML
40584	6/5/3mm, Men's	Black	LG
40585	6/5/3mm, Men's	Black	XL
40586	6/5/3mm, Men's	Black	XXL
40587	6/5/3mm, Men's	Black	3XL

AQUA LUNG 7/4 SEAHOOD FLEX

- Made entirely of HS200 high stretch neoprene for exceptional comfort and fit
- 7mm HS200 high stretch neoprene cranium and 4mm HS200 high stretch bib
- 4mm HS200 high stretch skin-in neoprene face seal left unbound to allow for custom trimming
- Unique vent design releases air trapped at the top of the head
- Waterproof glued & blind stitched seams
- Hanging loop located at top for easy drying
- Descriptive hang tag attached to hanging loop

Part #	Model	Size
1000996	Men's 7/4 Seahood Flex	XS
1000997	Men's 7/4 Seahood Flex	SM
1000998	Men's 7/4 Seahood Flex	MD
1000999	Men's 7/4 Seahood Flex	LG
1001000	Men's 7/4 Seahood Flex	XL
1001001	Men's 7/4 Seahood Flex	XXL

AQUA LUNG 7/4 SEAHOOD

- 7mm neoprene cranium and 4mm bib
- Color coded size markings on bib for easy identification in rental programs
- 4mm skin-in neoprene face seal left unbound to allow for custom trimming
- Unique vent design releases air trapped at the top of the head
- Waterproof glued & blind stitched seams
- Hanging loop located at top for easy drying
- Descriptive hang tag attached to hanging loop

Part #	Model	Size
1001002	Men's 7/4 Seahood	XS
1001003	Men's 7/4 Seahood	SM
1001004	Men's 7/4 Seahood	MD
1001005	Men's 7/4 Seahood	LG
1001006	Men's 7/4 Seahood	XL
1001007	Men's 7/4 Seahood	XXL

AQUA LUNG 7/4 DRYHOOD FLEX

- Made entirely of HS200 high stretch neoprene for exceptional comfort and fit
- 7mm HS200 high stretch neoprene cranium and 4mm HS200 high stretch skin-in neoprene face and neck seals.
- Face area left unbound to allow for custom trimming
- Unique vent design releases air trapped at the top of the head
- Waterproof glued & blind stitched seams
- Hanging loop located at top for easy drying
- Designed for use with drysuits
- Descriptive hang tag attached to hanging loop

Part #	Model	Size
1000991	Men's 7/4 Dryhood Flex	SM
1000992	Men's 7/4 Dryhood Flex	MD
1000993	Men's 7/4 Dryhood Flex	LG
1000994	Men's 7/4 Dryhood Flex	XL
1000995	Men's 7/4 Dryhood Flex	XXL

AQUA LUNG 1.5mm SEAHOOD

- 1.5mm neoprene for moderate warmth
- Face area left unbound to allow for trimming
- Durable flat lock construction
- Hanging loop located at top for easy drying
- Descriptive hang tag attached to hanging loop

Part #	Model	Size
1001172	Men's 1.5mm Seahood	SM
1001173	Men's 1.5mm Seahood	MD
1001175	Men's 1.5mm Seahood	LG
1001176	Men's 1.5mm Seahood	XL
1001177	Men's 1.5mm Seahood	XXL

GLOVES

AQUA LUNG THERMOCLINE Kevlar Glove

- Durable Kevlar on palms, fingers & back of fingertips for superior abrasion resistance
- Standard neoprene with glued and blind-stitched seams
- Ergonomically designed pre-curved fingers helps minimize hand fatigue
- Adjustable cinch closure at wrist
- Available in 3mm & 5mm
- Packaged in a reusable mesh bag with hang tag

Reusable Mesh Bag

Part #	Model	Size
D330131	Men's 3mm Kevlar Glove	XS
D330132	Men's 3mm Kevlar Glove	SM
D330133	Men's 3mm Kevlar Glove	MD
D330135	Men's 3mm Kevlar Glove	LG
D330136	Men's 3mm Kevlar Glove	XL
D330137	Men's 3mm Kevlar Glove	XXL
Part #	**Model**	**Size**
D350132	Men's 5mm Kevlar Glove	SM
D350133	Men's 5mm Kevlar Glove	MD
D350135	Men's 5mm Kevlar Glove	LG
D350136	Men's 5mm Kevlar Glove	XL
D350137	Men's 5mm Kevlar Glove	XXL

AQUA LUNG THERMOCLINE Flex Glove

- Made entirely of HS200 high stretch neoprene that stretches to over 200% of it's original size for exceptional comfort, fit and dexterity
- Ergonomically designed pre-curved fingers help minimize hand fatigue
- Rubberized coating on palm for protection and added grip
- Available in 3mm & 5mm
- Packaged in reusable mesh bag with hang tag

Reusable Mesh Bag

Part #	Model	Size
D330121	Men's 3mm Flex Glove	XS
D330122	Men's 3mm Flex Glove	SM
D330123	Men's 3mm Flex Glove	MD
D330125	Men's 3mm Flex Glove	LG
D330126	Men's 3mm Flex Glove	XL
Part #	**Model**	**Size**
D350121	Men's 5mm Flex Glove	XS
D350122	Men's 5mm Flex Glove	SM
D350123	Men's 5mm Flex Glove	MD
D350125	Men's 5mm Flex Glove	LG
D350126	Men's 5mm Flex Glove	XL

AQUA LUNG THERMOCLINE Glove

RECOMMENDED PUBLIC SAFETY PRODUCT

- Standard neoprene with glued andblind-stitched seams
- Ergonomically designed pre-curved fingers help minimize hand fatigue
- Rubberized coating on palm for protection and added grip
- Adjustable cinch closure at wrist
- Available in 3mm & 5mm
- Packaged on hanging header card

Part #	Model	Size
D330111	Men's 3mm Thermocline	XS
D330112	Men's 3mm Thermocline	SM
D330113	Men's 3mm Thermocline	MD
D330115	Men's 3mm Thermocline	LG
D330116	Men's 3mm Thermocline	XL
D330117	Men's 3mm Thermocline	XXL
Part #	**Model**	**Size**
D350111	Men's 5mm Thermocline	XS
D350112	Men's 5mm Thermocline	SM
D350113	Men's 5mm Thermocline	MD
D350115	Men's 5mm Thermocline	LG
D350116	Men's 5mm Thermocline	XL
D350117	Men's 5mm Thermocline	XXL

AQUA LUNG KAI Glove

- Made of 2mm HS200 high stretch neoprene that stretches to over 200% of it's original size for exceptional comfort, fit and dexterity
- Reinforced polysuede palm
- Molded pull-on entry tab
- Packaged on hanging header card

Part #	Model	Size
1000862	Men's 2mm Kai	XS
1000863	Men's 2mm Kai	SM
1000864	Men's 2mm Kai	MD
1000865	Men's 2mm Kai	XL

GLOVES

AQUA LUNG ALEUTIAN Kevlar Glove

- Durable Kevlar on palms, fingers & back of fingertips for superior abrasion resistance
- Thermal FLEX 4-way stretch neoprene panels provide exceptional comfort and warmth
- Pre-curved fingers and ribbed glove-back work together to eliminate hand fatigue
- Bell cut wrist opening allows for trouble-free entry and accommodates wetsuit cuffs comfortably
- Elastic closure minimizes water exchange
- Available in 3mm & 5mm
- Packaged in reusable mesh bag with hang tag

Reusable Mesh Bag

Part #	Model	Size
D339111	Men's 3mm Kevlar Aleutian	XS
D339112	Men's 3mm Kevlar Aleutian	SM
D339113	Men's 3mm Kevlar Aleutian	MD
D339115	Men's 3mm Kevlar Aleutian	LG
D339116	Men's 3mm Kevlar Aleutian	XL
Part #	**Model**	**Size**
D359111	Men's 5mm Kevlar Aleutian	XS
D359112	Men's 5mm Kevlar Aleutian	SM
D359113	Men's 5mm Kevlar Aleutian	MD
D359115	Men's 5mm Kevlar Aleutian	LG
D359116	Men's 5mm Kevlar Aleutian	XL
D359117	Men's 5mm Kevlar Aleutian	XXL

AQUA LUNG ALEUTIAN Glove

- Thermal FLEX 4-way stretch neoprene panels provide exceptional comfort and warmth
- Pre-curved fingers and ribbed glove-back work together to eliminate hand fatigue
- Bell cut wrist opening allows for trouble-free entry and accommodates wetsuit cuffs comfortably
- Silicone tactiles on the palm provide excellent grip when wet
- Elastic closure minimizes water exchange
- Available in 3mm & 5mm
- Packaged in reusable mesh bag with hang tag

Reusable Mesh Bag

Part #	Model	Size
D338111	Men's 3mm Aleutian	XS
D338112	Men's 3mm Aleutian	SM
D338113	Men's 3mm Aleutian	MD
D338115	Men's 3mm Aleutian	LG
D338116	Men's 3mm Aleutian	XL
Part #	**Model**	**Size**
D358111	Men's 5mm Aleutian	XS
D358112	Men's 5mm Aleutian	SM
D358113	Men's 5mm Aleutian	MD
D358115	Men's 5mm Aleutian	LG
D358116	Men's 5mm Aleutian	XL

DEEP SEE BARNACLE Glove

- 2mm perforated neoprene with Spandex 4-way stretch fabric
- Synthetic suede palm is reinforced in high wear areas
- "Barnacle" pads at palm and finger tops for added durability and protection
- Silicone tactiles on finger tips and palm provide excellent grip
- Adjustable hook & loop wrist closure
- Packaged on hanging header card

Black/Royal

Part #	Model	Color	Size
D324011	Men's Barnacle	Blk/Blk	XS
D324012	Men's Barnacle	Blk/Blk	SM
D324013	Men's Barnacle	Blk/Blk	MD
D324015	Men's Barnacle	Blk/Blk	LG
D324016	Men's Barnacle	Blk/Blk	XL
D324017	Men's Barnacle	Blk/Blk	XXL
Part #	**Model**	**Color**	**Size**
D324001	Men's Barnacle	Blk/Ryl	XS
D324002	Men's Barnacle	Blk/Ryl	SM
D324003	Men's Barnacle	Blk/Ryl	MD
D324005	Men's Barnacle	Blk/Ryl	LG
D324006	Men's Barnacle	Blk/Ryl	XL
D324007	Men's Barnacle	Blk/Ryl	XXL

BOOTS

DEEP SEE KORAL KING Boot

RECOMMENDED PUBLIC SAFETY PRODUCT

- Neoprene with TERRY PLUSH inside
- Vulcanized TRIPLE THICK rubber sole designed for extremely rocky shores
- Four seam (2 front, 2 heel) pattern
- Non-corrosive Delrin #10 heavy-duty zipper
- Rubber toe & heel cap for protection
- Rubber foxing around sole for stability
- Packaged in poly bag

Part #	Model	Size
D9521105	Men's 5mm Koral King	5
D9521106	Men's 5mm Koral King	6
D9521107	Men's 5mm Koral King	7
D9521108	Men's 5mm Koral King	8
D9521109	Men's 5mm Koral King	9
D9521110	Men's 5mm Koral King	10
D9521111	Men's 5mm Koral King	11
D9521112	Men's 5mm Koral King	12
D9521113	Men's 5mm Koral King	13

AQUA LUNG® MANTA Boot

AVAILABLE '13 IN APRIL

- 2-color compression molded sole, built-in arch support & raised heel for comfort
- Neoprene innersole is 2mm thicker than upper for added comfort & warmth
- Non-corrosive Delrin #10 heavy-duty zipper with zipper lock
- Packaged in reusable mesh bag with hang tag

Part #	Model	Size
1002662	Men's 5mm Manta	4
1002663	Men's 5mm Manta	5
1002664	Men's 5mm Manta	6
1002665	Men's 5mm Manta	7
1002666	Men's 5mm Manta	8
1002667	Men's 5mm Manta	9
1002668	Men's 5mm Manta	10
1002669	Men's 5mm Manta	11
1002670	Men's 5mm Manta	10
1002671	Men's 5mm Manta	13
1002672	Men's 6.5mm Manta	5
1002673	Men's 6.5mm Manta	6
1002674	Men's 6.5mm Manta	7
1002675	Men's 6.5mm Manta	8
1002676	Men's 6.5mm Manta	9
1002677	Men's 6.5mm Manta	10
1002678	Men's 6.5mm Manta	11
1002679	Men's 6.5mm Manta	10
1002680	Men's 6.5mm Manta	13

BOOTS

AQUA LUNG 3, 5 & 6.5mm SUPERZIP ERGO boot

- New anatomically correct ERGO™ shaped footbed and outsole
- Asymmetric toe, instep, and heel cap for added protection & durability
- Hook & loop zipper lock keeps zipper in place
- Standard neoprene upper with exterior thickness markings
- Flexible vulcanized rubber outsole
- Four seam (2 front, 2 heel) pattern
- Non-corrosive YKK #10 heavy-duty zipper
- Packaged in PVC-free ziploc poly bag with descriptive hang tag

Traditional Diving Boot

Part #	Model	Size
1001640	Men's 3mm Superzip Ergo	5
1001641	Men's 3mm Superzip Ergo	6
1001642	Men's 3mm Superzip Ergo	7
1001643	Men's 3mm Superzip Ergo	8
1001644	Men's 3mm Superzip Ergo	9
1001645	Men's 3mm Superzip Ergo	10
1001646	Men's 3mm Superzip Ergo	11
1001647	Men's 3mm Superzip Ergo	12
1001648	Men's 3mm Superzip Ergo	13
1001649	Men's 5mm Superzip Ergo	5
1001650	Men's 5mm Superzip Ergo	6
1001651	Men's 5mm Superzip Ergo	7
1001652	Men's 5mm Superzip Ergo	8
1001653	Men's 5mm Superzip Ergo	9
1001654	Men's 5mm Superzip Ergo	10
1001655	Men's 3mm Superzip Ergo	11
1001656	Men's 5mm Superzip Ergo	12
1001657	Men's 5mm Superzip Ergo	13
1001658	Men's 6.5mm Superzip Ergo	5
1001659	Men's 6.5mm Superzip Ergo	6
1001660	Men's 6.5mm Superzip Ergo	7
1001661	Men's 6.5mm Superzip Ergo	8
1001662	Men's 6.5mm Superzip Ergo	9
1001663	Men's 6.5mm Superzip Ergo	10
1001664	Men's 6.5mm Superzip Ergo	11
1001665	Men's 6.5mm Superzip Ergo	12
1001666	Men's 6.5mm Superzip Ergo	13

AQUA LUNG OCEAN PACK- Deluxe Mesh Backpack

- 1680 Denier Ballistic nylon with heavy-duty rubber coated mesh
- Total weight is 2.6 lbs
- Heavy-duty YKK tooth zipper with anatomic zipper pull extenders
- Padded backpack straps with adjustable sternum strap
- Soft foam spine pad and neoprene back pad
- Elastic drawstring closure with barrel lock
- Full length side zipper for easy access to all contents
- Large zippered front pocket with organizer for keys, pens, and C-Card
- Soft rubber side carry handle
- Heavy-duty vinyl bottom with drain grommets
- Deep See Lifetime Warranty
- 28" x 15.5" x 13.5", Capacity 5,859 in³

Part #	Desription
D67030	Aqua Lung Ocean Pack

AQUA LUNG TRAVELER 1600 - Large Roller Bag

- Heavy-duty PVC-free 840D nylon
- Total weight is 9.5 lbs
- NEW convenient backpack straps for easy carrying
- Internal fin pockets accommodate large dive fins
- Lightweight extendable aluminum handle
- Removable accessory bag strap
- Durable and smooth rolling ball bearing wheels
- Heavy-duty #10 zippers with tactile zipper pulls for easy gripping
- Corrosion resistant YKK zippers
- External ID pocket
- Protective kick plate, and wheel housings for added durability
- Padded top and side handles for lifting comfort
- Rigid bottom handle for easy lifting
- Deep See Lifetime Warranty including damage from airline handling
- 19" x 31" x 16", Capacity 8,969 in³

Part #	Desription
1000915E	Traveler 1600 Large Roller - Blk/Blu

BAGS

AQUA LUNG TRAVELER 1550 - Medium Roller Bag

- Heavy-duty PVC-free 840D nylon
- Total weight is 10.6 lbs
- Meets most major airline size requirements for checked baggage
- Two internal zippered mesh compartments
- Internal fin pockets accommodate large dive fins
- Accessory pocket for log book & small tools
- Extra large external document pocket
- Lightweight extendable aluminum handle
- Removable accessory bag strap
- Durable and smooth rolling ball bearing wheels
- Protective stiffener and padding throughout bag
- External daisy chain for quick attachments
- Heavy-duty #10 zippers with tactile zipper pulls for easy gripping
- Corrosion resistant YKK zippers
- External ID pocket
- Protective rails, kick plate, and wheel housings for added durability
- Padded top and side handles for lifting comfort
- Rigid bottom handle for easy lifting
- DeepSee Lifetime Warranty
- 19" x 31" x 12", Capacity 7,068 in³

Part #	Desription
1000916	Traveler 1550 Medium Roller - Blk/Blu

AQUA LUNG TRAVELER 850 - Roller Duffle

- Heavy-duty PVC-free 840D nylon
- Total weight is 8.8 lbs
- Large internal zippered mesh compartment
- Internal fin pockets accommodate large dive fins
- Lightweight extendable aluminum handle
- Removable accessory bag strap
- Durable and smooth rolling ball bearing wheels
- Protective stiffener and padding throughout bag
- Heavy-duty #10 zippers with tactile zipper pulls for easy gripping
- Corrosion resistant YKK zippers
- External ID pocket
- Protective rails, kick plate, and wheel housings for added durability
- Padded top handle and rigid bottom handle for easy lifting
- DeepSee Lifetime Warranty
- 14" x 31" x 14", Capacity 6,076 in³

Part #	Desription
1000917	Traveler 850 Roller Duffle - Blk/Blu

AQUA LUNG T6 - Duffle Bag

- Tough PVC-free 840D nylon & 420D lightweight ripstop nylon
- Total weight is only 1.2 lbs for lightweight travel
- NEW heavy-duty non-corrosive plastic slider and nylon zipper coil
- D-rings for optional shoulder strap attachment (#744490)
- Corrosion resistant drainage grommets
- 2 Year Limited Warranty
- 28" x 14" x 14", Capacity 5,488 in³

Part #	Desription
1001718	Men's 5mm Manta
744490	Shoulder Strap

www.aqualung.com/militaryandprofessional

AQUA LUNG T5 - Mesh Duffle Bag

- Tough PVC-free 840D nylon and 420D lightweight ripstop nylon
- Total weight is only 1.0 lbs for lightweight travel
- NEW heavy-duty non-corrosive plastic slider and nylon zipper coil
- PVC-free fast dry mesh sides & bottom for maximum drainage
- D-rings for optional shoulder strap attachment (#744490)
- 2 year limited warranty
- 25" x 13" x 13", Capacity 3,744 in³

Part #	Desription
1001719	T5 Mesh Duffle - Black/Blue
744490	Shoulder Strap

AQUA LUNG MARINER Mesh Bag

- Available in large and medium sizes
- Heavy duty PVC mesh
- 2" nylon support webbing
- Nylon D-rings for optional shoulder strap
- Optional shoulder strap is adjustable with nylon swivel hardware
- 2 year limited warranty
- **Large Bag** : 28.5" x 16" x 16", Capacity 5,731 in³, Weight 1.75 lbs
- **Medium Bag** : 26.5" x 13.5" x 13.5", Capacity 3,793 in³, Weight 1.6 lbs

Part #	Desription	Color
744950	Large Mariner Mesh Bag	Black
744700	Medium Mariner Mesh Bag	Black
744710	Medium Mariner Mesh Bag	Blue
744730	Medium Mariner Mesh Bag	Yellow
744490	Shoulder Strap	Black

DEEP SEE HEAVY-DUTY Mesh Backpack

- Heavy-duty screen type nylon mesh & 420D nylon
- Total weight is 1.2 lbs
- Outside pocket with hook & loop closure
- 2 inside zippered pockets
- Top & side carry handles
- Full length side zipper entry
- Locking drawstring closure with a top flap
- Adjustable, padded backpack straps are ergonomically curved for a comfortable fit
- 27" x 14" x 14", Capacity 4,156 in³

Part #	Desription	Color
D5240	HD Mesh Backpack	Blk/Ryl
D5241	HD Mesh Backpack	Black

KNIVES

AQUA LUNG MASTER Knife

- 7 inch serrated blade
- Stainless steel buttcap
- Plastic sheath

Part #	Model
422600	Master Knife

DEEP SEE BIG SQUEEZE

- 4 1/2" blade, overall length 9 1/2
- 304 series stainless steel or high grade Beta Alloy Titanium
- Patented locking mechanism securely locks knife in sheath, but releases easily with a squeeze of the handle (Patent # 5,926,959)
- Variable mounting options: Rubber leg straps are included, Molded belt clip on sheath, Optional "barnacle nuts" & bolts for mounting through fabric (Sold separately- See part #416318 on Small Parts List. Set of 2 nuts & 2 bolts)

Part #	Model
D47910	Big Squeeze Blunt Tip Blu
D47914	Big Squeeze Blunt Tip Chr
D47917	Big Squeeze Blunt Tip Yel
D47920	Big Squeeze Drop Point Blu
D47924	Big Squeeze Drop Point Chr
D47927	Big Squeeze Drop Point Yel
D48980	Big Squeeze Titanium Tanto Tip Blu
D48984	Big Squeeze Titanium Tanto Tip Chr
D48987	Big Squeeze Titanium Tanto Tip Yel

DEEP SEE JACK Knife

- 5" blade, overall length 9 1/2"
- 420 series stainless steel
- One piece blade and tang
- Knife completely disassembles for cleaning
- Serrated top edge and built-in line cutter
- Metal bottom cap
- Comfortable handle with lanyard hole
- Rubber leg straps included

Part #	Model
D8250	Jack Stainless Drop Point Blu
D8251	Jack Stainless Drop Point Blk
D8257	Jack Stainless Drop Point Yel
D8260	Jack Stainless Blunt Tip Blu
D8261	Jack Stainless Blunt Tip Blk
D8267	Jack Stainless Blunt Tip Yel

DEEP SEE SQUEEZE LOCK

RECOMMENDED PUBLIC SAFETY PRODUCT

- 3" blade, overall length 6.5"
- 304 series stainless steel or high grade Beta Alloy Titanium
- Patented locking mechanism securely locks knife in sheath, but releases easily with a squeeze of the handle (Patent #5,926,959)
- Variable mounting options:
  - Stainless Steel "barnacle nuts" & bolts are included for mounting through fabric or for installation on Buoyancy Compensators with knife grommets
  - Hose mounting straps are included for mounting to the BC inflator hose
- Locking belt clip is integrated into sheath for attaching knife to webbing
- Sheath has molded strap slots for use with optional rubber leg straps

Part #	Model
D47530	Squeeze Lock Blunt Tip Blu
D47532	Squeeze Lock Blunt Tip Red
D47534	Squeeze Lock Blunt Tip Chr
D47537	Squeeze Lock Blunt Tip Yel
D48560	Squeeze Lock Titanium Stiletto Tip Blu
D48564	Squeeze Lock Titanium Stiletto Tip Chr
D48567	Squeeze Lock Titanium Stiletto Tip Yel
D48590	Squeeze Lock Titanium Tanto Tip Blu
D48594	Squeeze Lock Titanium Tanto Tip Chr
D48597	Squeeze Lock Titanium Tanto Tip Yel

DEEP SEE EZ LOCK & EZ LOCK TITANIUM

- Titanium models: 4" blade, overall length 8.25"
- Stainless Steel models: 3.75" blade, overall length 8.25"
- Dolphin & Drop Point: 304 series stainless steel
- Blunt tip: 420 series stainless steel
- Titanium: High Grade Beta Alloy Titanium
- Patented positive lock sheath system
- Alternate hollow ground serration
- Lanyard hole
- Double serration on drop point
- Rubber leg strap included
- Molded belt clip on sheath

Part #	Model
D8150	EZ Lock Blunt Tip Blk
D8160	EZ Lock Dolphin Point Blk
D8170	EZ Lock Drop Point Blk
D48151	EZ Lock Titanium Stiletto Tip
D48180	EZ Lock Titanium Tanto Tip

SPARE PARTS LIST

*Spare parts may be available for discontinued items.

Part #	Model	Color
D8298B	Jack Knife - Butt Cap	-
D82981	Jack Knife - Sheath	Black
D82987	Jack Knife - Sheath	Yellow
D8299	Jack Knife - 24" Straps w/buckles (Qty. 2)	-
D48198	EZ Lock Titanium Knife - Sheath	-
D8151S	EZ Lock Knife - Sheath	-
D47540	Squeeze Lock Knife - Sheath	-
D14791	Big Squeeze Knife - Sheath	-
D416318	Barnacle Nut & Screw Kit (4 pieces) - For use with Squeeze Lock & Big Squeeze	-
41942	24" Straps w/Quick Release Buckles (Qty. 2)	-
D441952	Knife Hose Mount Attachment	-

AQUA LUNG®
Military & Professional

GORSKI G2000SS HELMET

The "Gorski Hat"

Gorski Hat Features

- Set the standard for modern diving helmets
- Functional, robust and durable design
- Cast stainless steel (SS) shell, neck ring and retainer
- Ideal helmet balance when worn
- All SS construction resists corrosion and electrolysis
- Dual-action locking system for neck ring
- Unique side-mounted regulator design
- Breathing loop components protected inside shell
- Regulator shielded from front impact
- Reinforced face plate retention system
- Easy to switch between 2-wire and 4-wire comms
- Excellent field of view
- Straightforward and inexpensive to maintain
- Approx 50% fewer components than other helmets
- Helmet service kit available
- Manufactured by the Aqua Lung group
- Global network for sales and technical support
- Accessories include mounting brackets & welding shield
- Neck ring interfaces with all contaminated water diving suits including White's HazMat suit
- Field conversion to free flow mode
- Full support documentation available on-line

Item Description	Part #
G2000SS Helmet, complete	400000
Welding Shield Kit	400102
Mounting Bracket, Light/Camera	400107
Annual Service Kit	400108
Double Exhaust Kit	400111

GORSKI

High quality OTS comms fitted as standard - OTS ear/microphones are water and rustproof

AQUA LUNG STANDARD HELMET BAG

- Provides protection for Gorski G2000SS diving helmet
- Heavy duty construction
- Separate pocket for neck ring assembly

Part #	Model
400804	Standard Helmet Bag

AQUA LUNG HELMET FLOTATION BAG

- Provides protection for Gorski G2000SS diving helmet
- Floats with helmet inside
- Heavy duty construction

Part #	Model
400805	Helmet Flotation Bag

SURFACE SUPPLY DIVING

AQUA LUNG® PERSONAL DIVER HARNESS (H1)

- Strength-rated individual recovery harness
- Full-body, easily adjusted, one-size design
- Worn underneath an equipment vest/bell jacket
- Secure attachment points for dive umbilical
- Recovery points: rear lifting ring (1), shoulder rings (2)
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N

Part #	Description
769178	Harness, PDH, Personal Diver (H1)

AQUA LUNG® COMMERCIAL DIVING HARNESS (H3)

- Multi-function professional diving harness
- For bailout cylinder(s), weights, tools, and umbilical attachment
- Integrated strength-rated recovery function
- Recovery points: rear lifting ring (1), shoulder rings (2)
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N
- Easy to load weight pockets hold up to 60 lb / 13.2 kg

Part #	Description
400800	Commercial Diving Harness (H3), incl. 4 x 12.5lb weight pouches. SIZE 1
400801	Commercial Diving Harness (H3), incl. 4 x 12.5lb weight pouches. SIZE 2

DIVER RECOVERY BRIDLE

- For recovery of unconscious diver from the water
- Connects to harness shoulder rings
- Robust and easy to rig
- High grade carabiners
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N

Part #	Description
400803	Diver Recovery Bridle

ACCESSORY POUCH

- For recovery of unconscious diver from the water
- Connects to harness shoulder rings
- Robust and easy to rig
- High grade carabiners
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N

Top View

Front View

Part #	Description
400806	12.5lb Weight Pouch
400807	Accessory Pouch

AQUA LUNG®

Military & Professional

PUBLIC SAFETY & COMMERCIAL WHITES

apeks®

GORSKI

AQUA LUNG AMERICA, INC.
2340 Cousteau Court
Vista, CA 92081, U.S.A.

TOLL FREE ORDER DESK
800.775.3483 / 800.854.7066

TOLL FREE FAX
800.882.3483

INTERNATIONAL TEL
+1.760-597-5000

INTERNATIONAL FAX
+1.760-597 4900

RETURNS / REPAIRS / RA
1.877.253.3483

PUBLIC SAFETY PROGRAM ENQUIRIES
publicsafety@aqualung.com

www.aqualung.com/militaryandprofessional